

DRYHIRE CATALOG 2025

EVENTWERKER

YOUR EQUIPMENT SUPPLIER IN GERMANY / AUSTRIA / SWITZERLAND



DRY HIRE BY EVENTWERKER



FLEXIBLES DRY HIRE

EVENTWERKER bietet langfristige Mietverträge für Mietunternehmen und Veranstaltungsorte an. Unsere maßgeschneiderten Lösungen sind flexibel und preislich attraktiv, basierend auf der gewünschten Ausrüstung und Vertragsdauer. Ein Wechsel der Ausrüstung ist jederzeit möglich, sodass Sie immer die neueste Technologie nutzen können.



TECHNISCHER SERVICE

Technischer Service ist ein Schwerpunkt unseres Unternehmens. Unser 24/7-Service ist immer bereit, bei Problemen mit unserer Ausrüstung einzugreifen. Wir verfügen über einen großen Vorrat an Ersatzteilen und unser Transport ist 7 Tage die Woche im Einsatz.



TRANSPORT

Logistik ist für uns von großer Bedeutung. Ein effizient beladener LKW spart vor Ort viel Zeit. Mit einer umfangreichen Fahrzeugflotte und den passenden Transport-Partnern, bestehend aus Lieferwagen, Lastwagen und Sattelzügen, kann EVENTWERKER den richtigen Transport zu und von Ihrem Standort zu günstigen Preisen organisieren.


ALLES AUF EINEN BLICK

Erkunden Sie event-werker.com für detaillierte Informationen und inspirierende Eindrücke. Unsere Website bietet Ihnen eine umfassende Übersicht unserer Dienstleistungen und einen Einblick in unsere Arbeitsweise.

Sie können sich durch unsere umfangreichen Dienstleistungen klicken, unser Team kennenlernen und sich von vielfältigen Möglichkeiten inspirieren lassen.

Wir legen großen Wert auf eine enge Zusammenarbeit mit unseren Kunden, um ihre individuellen Wünsche und Vorstellungen perfekt umzusetzen.

Wir freuen uns auf Ihre Anfrage und stehen Ihnen gerne zur Verfügung. Kontaktieren Sie uns für eine unverbindliche Beratung und lassen Sie uns gemeinsam Ihre Veranstaltung zu einem unvergesslichen Erlebnis machen.



LIGHT



LIGHT // Martin – Vari*Lite

Beschreibung	Eigenschaften
Martin	
Martin – Mac Quantum Profile	LED, 475W, 6000K
Martin – Mac Encore Performance WRM	LED, 486W, 3000K
Martin – Mac Encore Performance CLD	LED, 486W, 6000K
Martin – Era 400 Performance CLD	LED, 300W, 6500K
Martin – Era 800 Performance	LED, 800W, 6500K
Martin – Mac Ultra Performance	LED, 1150W, 6000K
Martin – Rush MH 6 Wash	LED, RGBW, 10 x 12W
Martin – Mac One Beamwash	LED, RGBL, 1 x 120W + 24x 0,25W
Martin – Mac Aura Wash	LED, RGBW, 19 x 10W
Martin – Mac Aura XB Wash	LED, RGBW, 19 x 15W
Martin – Mac Aura PXL Wash	LED, RGBW, 19 x 40W + 141 x 0,3W
Martin – Mac Aura XIP Filament Wash IP54	LED, RGBW, 7 x 60W + 12 x 4W
Martin – Mac Quantum Wash	LED, RGBW, 50 x 15W
Martin – Mac Encore Wash CLD	LED, 468W, 3000K
Martin – Mac Encore Wash CLD	LED, 486W, 6000K
Martin – Mac Ultra Wash	LED, 1150W, 6000K
Martin – Rush MH 7 Hybrid	MSD, 250W
Martin – Mac Axiom Hybrid	HRI, 440W
Martin – Mac Viper Profile	HTI, 1000W
Martin – Mac Viper Performance	HTI, 1000W
Martin – Mac III Performance	HTI, 1500W
Martin – Mac III Profile	HTI, 1500W
Martin – Mac Viper Wash DX	HTI, 1000W
Martin – Mac Viper Airfx	HTI, 1000W
Martin – Mac III Wash	HTI, 1500W
Martin – Mac III Airfx	HTI, 1500W
Martin – Mac TW1 Wash (80V)	Halo, 1200W/80V
Martin – Mac TW1 Wash (230V)	Halo, 1200W/230V
Vari*Lite	
Vari*Lite – VL1100 TSD	Halo, 1000W
Vari*Lite – VL1100 AS	MSR, 575W
Vari*Lite – VL3500Q Spot	HTI, 1200W
Vari*Lite – VL550D Wash	Halo, 1000W
Vari*Lite – VL3500 Wash (Buxom/Stippled)	HTI, 1500W

LIGHT // Robe – Clay Paky

Beschreibung	Eigenschaften
Robe	
Robe – T1 Profile MSL	LED, MSL, 550W
Robe – T2 Profile MSL	LED, MSL, 850W
Robe – iFORTE Profile Spot, IP65	LED, WTE, 1000W
Robe – iFORTE LTX Wash Beam, IP65	LED, WTE, 1000W
Robe – iFORTE LTX FS Wash Beam with camera, IP65	LED, WTE, 1000W
Robe – Robin Spikie Wash Beam	LED, RGBW, 60W
Robe – Robin Esprite	LED, LED, 650W
Robe – Spiider Wash Beam	LED, RGBW, 18 x 40W+1 x 60W
Robe – Robin LEDBeam 150	LED, RGBW, 7 x 40W
Robe – Robin LEDBeam 350	LED, RGBW, 12 x 40W
Robe – Robin CycFX 8 Moving LED Strip	LED, RGBW, 8 x 15W
Robe – TetraX Moving LED Strip	LED, RGBW, 9 x 40W
Robe – Tetra II Moving LED Strip	LED, RGBW, 18 x 40W
Robe – Robin Pointe	HRI, 280W
Robe – Mega Pointe	HRI, 470W
Robe – BMFL Spot	HTI, 1700W
Robe- BMFL Blade Spot	HTI, 1700W
Robe – BMFL Wash XF	HTI, 1700W
Robe – BMFL Wash Beam	HTI, 1700W
Clay Paky	
Clay Paky – A.leda B-EYE K10	LED, RGBW, 19 x 15W
Clay Paky – A.leda B-EYE K20	LED, RGBW, 37 x 15W
Clay Paky – SharBar Moving LED Strip	LED, RGBW, 6 x 30W
Clay Paky – Volero Wave LED Bar RGBW	LED, RGBW, 8 x 40W
Clay Paky – Mini Xtylos HPE	LED, RGB Laser
Clay Paky – Sharpy Plus	HRI, 330W X8
Clay Paky – Mythos^2 Spot	HRI, 440W
Clay Paky – Scenius Spot	HTI, 1400W
Clay Paky – Scenius Profile	HTI, 1400W
Clay Paky – Scenius Unico	HTI, 1400W

Beschreibung	Eigenschaften
CLF Movinglight	
CLF – Beam 6 LED Movinghead	LED, RGBW
CLF – Stinger 36-49 Pixel Matrix Movinghead	LED, RGBW-CW
CLF – Serious Moving LED Bar	LED, RGBW
CLF – AORUN Beam Movinghead	HRI, 330W
CLF, ORION Hybrid Movinghead	HRI, 471W
CLF – Poseidon Beam Ultra Movinghead IP65	Ushio, 300W
CLF – Poseidon Beam Movinghead IP65	Ushio, 400W
CLF – Poseidon Hybrid Movinghead IP65	Ushio, 400W
CLF – Poseidon Wash XS Movinghead IP65	LED, RGBW
CLF – Poseidon Wash M Movinghead IP65	LED, RGBW
CLF – Poseidon Wash XL Movinghead IP65	LED, RGBW
CLF Wallwash	
CLF – Ares XS LED-wash 21°, IP65	LED, RGBW
CLF – Ares LED-wash 21°, IP65	LED, RGBW
CLF – Ares LED-wash 43°, IP65	LED, RGBW
CLF – Sera Batt LEDwash RGBL 17.5°, IP65	LED, RGBL
CLF – Sera XS LEDwash RGBL 17.5°, IP65	LED, RGBL
CLF – Sera LEDwash RGBL 15.5°, IP65	LED, RGBL
CLF – LEDwash Wallwasher	LED, RGBW
CLF – LEDwash XL Wallwasher	LED, RGBW
CLF – LEDwash Dynamic White Wallwasher	LED, CW-WW
CLF – LEDBAR (XLR3)	LED, RGBW
CLF – LEDBAR Pro, IP65	LED, RGBW
CLF – LEDBAR Strobe, IP65	
CLF Parlights	
CLF – Tricolor Mini LED-Par (XLR3)	LED, RGB
CLF – Quadcolor Mini LED-Par, IP65 (XLR)	LED, RGBW
CLF – Colorpar-12 LED-Par (XLR3)	LED, RGB
CLF – Conan Zoom LED-Par	LED, RGBW
CLF – Odin Zoom LED-Par, IP65	LED, RGB+Lime
CLF – Yara LED-Par, IP65	LED, RGBW
CLF – Hera LED-Bar, IP65	LED, RGBWAUV
CLF – Hercules LED-Par	LED, RGBWAUV
CLF – Dynamic White LED-Par (XLR3)	LED, CW-WW

LIGHT // CLF – GLP - Ayrton

Beschreibung	Eigenschaften
CLF Parlights	
CLF – Spectrum P2 VW, IP65	LED, CW-WW
CLF – Spectrum P1 CW	LED, CW
CLF FX	
CLF – Apollo XS retro LED light 4-Unit KIT	LED
CLF – Apollo XS retro LED light 7-Unit KIT	LED
CLF – Apollo Retro LED	LED, RGB-CW
CLF – Apollo XL Retro LED	LED, RGB-CW
CLF – LEDFAN, 0,70 x 0,70 m	LED, RGB
CLF – LEDFAN XL, 1,00 x 1,00 m	LED, RGB
CLF – Poseidon Mirror Movinghead IP65	
GLP	
GLP – Impression S350 Spot	LED, WLE, 350W
GLP – Impression FR 1	LED, RGBW, 60W
GLP – Impression X4 Atom IP65 (XLR4)	LED, RGBW, 20W
GLP – Impression X4 Wash	LED, RGBW, 19 x 15W
GLP – Impression X4 L Wash	LED, RGBW, 37 x 15W
GLP – Impression X5 Compact Wash	LED, RGBL, 7 x 40W
GLP – Impression X5 Wash	LED, RGBL, 19 x 40W
GLP – Impression X4 Bar 10	LED, RGBW, 10 x 15W
GLP – Impression X4 Bar 20	LED, RGBW, 20 x 15W
GLP – Impression FR 10 Moving LED Bar	LED, RGBW, 10 x 60W
GLP – Impression X5 IP Bar	LED, RGBL, 18 x 40W
GLP – JDC1 LED strobe 188° Tilt	LED, RGB-CREE XP L
GLP – GT 1FL Hybrid	HRI, 440W
Ayrton	
Ayrton – Magicpanel FX	LED, RGBW
Ayrton – Eurus Profile TC	LED, 650W, WLE
Ayrton – Cobra, IP65	LED, WLE, 750W
Ayrton – Bora S	LED, 750W, WLE
Ayrton – Huracan Profile S	LED, 1000W, WLE
Ayrton – Mistral TC	LED, 300W , WLE

LIGHT // URC - SGM

Beschreibung	Eigenschaften
URC	
URC – LED Zoom 210 Moving Washlight	LED, RGBW, 7 x 30W
URC - Goldstrip	LED, RGBW, 7 × 30W
URC - Cupix 44	LED, RGB
URC - Goldpix 77	LED, CREE
URC - LED-Par Zoom IP65	LED, RGBW
URC - Power LED Strip IP65 (XLRS)	LED, RGBW
URC - Artnet controller for LED Strip RGBW	
URC - Light up Wireless Akku uplighter	LED, RGBA
URC - Wireless DMX Reciever DMX512	
URC - Citywash 300 LED Wash 18° IP67 (XLR3)	LED, RGBW
URC - Citywash 300 LED Wash 45° IP67 (XLR3)	LED, RGBW
URC - Citywash 300 Dual LED Wash IP67 inci. Frame (XLR3)	LED, RGBW
SGM	
SGM - SP 6 Six Pack	LED
SGM - P-2 RGBW LEDwash light WFL 43*, IP65	LED
SGM - P-5 RGBW LEDwash light WFL 43*, G-3	LED
SGM - P-5 TW LEDwash light WFL 43°	LED
SGM - P-6 RGBW LEDwash light NSP 10°, IP66	LED
SGM - P-10 RGBW LEDwash light NSP 10*, IP65	LED
SGM - Q-7 White LEDwash light WFL 110°	LED
SGM - Q-7 RGBW LEDwash light WFL 110*	LED
SGM - Q-8 RGBW + White LEDwash light IP66 110°	LED
SGM - Q-10 RGBW LEDWash 110° IP65	LED
SGM - LB-100 LEDBalls string 0,85m / 7 led balls	LED
SGM - LT-100 LEDTube 1,00m Pixel pitch 35mm, IP20	LED
SGM - LT-200 LEDTube 2,00m Pixel pitch 35mm, IP20	LED
SGM - TLD 612A PSU beam 0,71m. 6 ch. output, incl Artnet	
SGM - Extensioncable for LT LEDTube 1,50m	
SGM - Extensioncable for LT LEDTube 2,00m	
SGM - Extensioncable for LT LEDTube 3,00m	
SGM - Extensioncable for LT LEDTube 5,00m	
SGM - LB fuseadapter for TLD-612A	

LIGHT // Various

Beschreibung	Eigenschaften
Elation	
Elation – ACL 360 BAR	LED, RGBW
Chauvet	
Chauvet – Rogue R1 FX-B	LED, RGBW
Expolite	
Epolite – Touried 42 CM/WP IP65 (XLR3)	
Accessories	
Drop arm 20 cm	
Drop arm 30 cm	
Drop arm 40 cm	
Drop arm 50 cm	
Drop arm 40/100 cm adjustable	
Drop arm 50/125/150/170 cm	
Drop arm 200/360 cm adjustable per 20 cm	

Beschreibung	Eigenschaften
Various // static lights	
Audience Blinder 2-light	2x DWE, 650W
Audience Blinder 4-light 4x DWE 650W	4x DWE, 650W
LED Par Stairville Outdoor Stage Par 12x3W Tri	
Blinder ROXX CLUSTER B2 FC Full Color	

LIGHT // Effects

Beschreibung	Eigenschaften
Strobe	
Martin - Atomic 3000 strobe	Xenon Max-15
Martin - Atomic 3000 strobe unit scroller	Xenon Max-15
Martin - Atomic 3000 LED strobe	LED, CREE XP-L
Martin - VDO Atomic Dot WRM IP65	LED, WW
Martin - VDO Atomic Dot CLD IP65	LED, CW
Martin - VDO Atomic Bold IP65	LED, RGBW
Clay Paky - Stormy CC LED strobe	LED, RGBW
Strips	
Acme - PIXEL LINE IP, IP65 RGB Ledbar/CW Strobe	LED, RGBW
Showtec - Octostrip MKII 100 cm black	LED, RGB
Showtec - Controller for Octostrip MKII (XLR3)	
Chauvet - Epix Strip 500mm IP65 (XLR4)	LED, RGB
Chauvet - Epix Strip 1000mm IP65 (XLR4)	LED, RGB
Chauvet - Epix Drive 2000 IP65 True1 (max. 20 strips]	
Accu Power	
CLF - Juno AkkuLED, IP65	LED, RGBW
Expolite - AkkuLED MKII 36 CM Unit (XLR3)	LED, RGBA
Astera - AX 3 Wireless Akku Lightdrop	LED, RGBW, 15W
Astera - AX 5 Wireless Akku TriplePar	LED, RGBAW, 3 x 15W
Astera - AX-9 Wireless Akku Powerpar	LED, RGBAW, 105W
Astera - Helios Tube Wireless Akku Pixeltube	LED, RGBMA, 24W
Astera - Titan Tube Wireless Akku Pixeltube	LED, RGBMA, 48W
Astera - Hyperion Tube Wireless Akku Pixeltube	LED, RGBMA, 96W
Astera - PB15 Pixelbrick 13°, IP65	LED, RGBMA, 15W
Astera - HydraPanel FP6 40° - 100°, 17w, IP65	LED, RGBMA, 17W
Astera – ART7 Wireless DMX Transmitter	
Retro	
Portman – Mantis LED	LED, RGBW-WW
Portman – S-Tribe LED	LED, RGBW-WW
Portman – P1 Retro light	halo, 7 x 230W
Portman – P2 Hecaline	halo, 6 x 230W
Portman – P3 Pix3l	halo, 3 x 230W
Robe – Patt 2013 soft light	halo, 750W

LIGHT // Effects

Beschreibung	Eigenschaften
Blinders	
Chauvet – STRIKE One IP65	LED, WW
Chauvet – STRIKE Array 2, IP65 LED Blinder	LED, WW
Chauvet – STRIKE Array 4, IP65 LED Blinder	LED, WW
Steinigke – Public light 1300W 2-Light, 1x schuko black	halo
Showtec – Public light 1300W 2-Light, black incl. 1ch dim	halo
Showtec – Public light 2600W 4-Light, 2x schuko black	halo
Thomas – Public light 5200W 8-Light, 2x schuko black	halo
Showtec – Cat eye Public light 2x 250W, 1x Schuko	halo
Showtec Active Sunstrip 1,0 m (10x 50W)	halo
Thomas – Ashtray, 650W DWE 110V (Patch Con)	halo
Mirror	
Mirrorball 30 – 40 – 50 cm	
Mirrorball 75 cm	
Mirrorball 100 cm	
Motor (for mirrorball 20-30-40-50-60 cm)	
Motor (for mirrorball 80 & 100 cm) max. 40 kg	
Magic FX	
MagicFX – Power drop for curtain drop	
MagicFX – Power Shot	
MagicFX Power Shot II	
MagicFX – FX-Comm4nder	
MagicFX – Safety Key for FX-Comm4nder	
MagicFX – MKII CO2 Jet	
Flame & Sparks	
CLF – Spark-2 Fall Effect Hangbox 600w max. 8 mtr	
CLF – Spark-3 groundbox 600w max. 5 mtr	
CLF – Spark-XL groundbox 1700w max. 15 mtr	
Galaxis – G-Flame, DMX Flame, Bottle option, max 8 mtr (XLR3)	
MagicFX – Stage Flame max. 8 mtr (XLR3)	

LIGHT // Smoke

Beschreibung	Eigenschaften
Smoke	
Jem – ZR 45 Smoke machine	
Jem – Compact Hazer Pro	
Jem – Hazer Pro, Hazer	
Jem – Hydra base incl. 2 x jerrycan 25 litre empty	
Jem – Hydra, DMX controlled smoke head	
MDG – Atmosphere	
MDG – Atmosphere ATMe	
MDG – Atmosphere High Output hazer	
MDG – theONE Atmospheric Generator	
MDG – Max 3000	
MDG – ME2 fog machine Dual Nozzle	
CLF – Smoke 3100, RGB fogger, 3100W	
Look – Unique 2.1, Hazer	
Look – Viper 2.6, Fog generator	
Concept – VICount Hazer 1.1kW CW	
Smoke Factory Enterprise TC4, Nebelmaschine, 230V, 2600W, DMX512	
Dry Ice & Low Fog	
Jem – Glaciator Dynamic, low fog DMX / 32A CEE Red	
Jem – Glaciator Distro unit 3-way adapter incl. Ring (Black)	
Vario 6 Heavy fog machine	
Hazebase Base Hazer Pro 19", 1500W, 230V/50Hz	
Fans	
CLF – Turbine	
Jem – AirForce 2, DMX fan	
MagicFX – Stage Blower	
MagicFX – Stage FX-Blower (powercon True1)	

LIGHT // Follow Spot

Beschreibung	Eigenschaften
Robert Juliat Follow Spot	
Robert Juliat – Followspot Alex	halo, 2000W, 7°-14.5°
Robert Juliat – Followspot Margot	halo, 2500W, 8.5°-16°
Robert Juliat – Followspot Korrigan	MSI, 1200W, 5°-9°
Robert Juliat – Followspot Super Korrigan	MSI, 1200W, 7° -14.5°
Robert Juliat – Followspot Victor dmx dim	MSR, 1800W, 7° -14,5°
Robert Juliat – Followspot Ivanhoe	MSR, 2500W, 9°-21°
Robert Juliat – Followspot Heloise	MSR, 2500W, 15°-30°
Robert Juliat – Followspot Aramis	HMI, 2500W, 4.5°-8°
Robert Juliat – Followspot Merlin dmx dim	HMI, 2500W, 3°-12°
Robert Juliat – Followspot Lancelot	HTI, 4000W, 2°-5°
Robert juliat – Followspot Lancelot dmx dim	HTI, 4000W, 2°-5°
Followspot chair for Robert Juliat 90° range black	
Followspot chair for all followspots Robert Juliat 360° range	
Follow Spot System	
Robe – RoboSpot Base station	
Follow-Me 3D system multiple target set V2 Single (3piece)	
Follow-Me 3D Track-it Basic System + back-up (2 targets)	

LIGHT // Profile Spots

Beschreibung	Eigenschaften
CLF / ETC – LED engines incl. zoom lens	
CLF – LEDKO Profile Daylight	LED, CW, 5600K
CLF – LEDKO Profile V2, Full Spectrum ETL	LED, RGBW, 3200K-10000K
ETC – S4 LED Series 2 Daylight HD	LED, CW, 4000K-6500K
ETC – S4 LED Series 2 Lustr CMY HD	LED, 2200K-6500K, CMY
Additional Lenstubes for CLF & ETC LED engines	
ETC – S4 Lenstube / 15-30° zoom	
ETC – S4 Lenstube / 25-50° zoom	
ETC – S4 EDLT Lenstube / 19°	
ETC – S4 EDLT Lenstube / 26°	
ETC – S4 EDLT Lenstube / 36°	
ETC - S4 EDLT Lenstube CYC adapter	
ETC incl. Lens	
ETC – S4 junior Profile 575W / 25°-50° zoom	halo
ETC – S4 Profile 750W / 15-30°zoom	halo
ETC – S4 Profile 750W / 25-50° zoom	halo
ETC – S4 Profile 750W / 5°	halo
ETC – S4 Profile 750W / 10°	halo
ETC – S4 Profile 750W / 14°	halo
ETC – S4 Profile 750W / 19°	halo
ETC – S4 Profile 750W / 26°	halo
ETC – S4 Profile 750W / 36°	halo
ETC – S4 Profile 750W / 50°	halo
ETC – S4 Profile 750W / 70 °	halo
ETC – S4 Profile 750W / 90°	halo
Iris (for ETC – S4 profile)	

LIGHT // Profile Spots

Beschreibung	Eigenschaften
Robert Juliat incl. lens	
Robert Juliat – Profile 613SX	halo, 1000W, 28°-54°
Robert Juliat – Profile 614SX	halo, 1000W, 16°-35°
Robert Juliat – Profile 710SX	halo, 2000W, 10°-25°
Robert Juliat – Profile 713SX V2	halo, 2000W, 29°-50°
Robert Juliat – Profile 714SX2	halo, 2000W15°-40°
Robert Juliat – Profile 9145	HMI, 1200W, 11°-34°
Robert Juliat – Profile 930SNX + CAD-900	MSR, 2500W, 9°-26°
Robert Juliat – Profile 930SNX + CAD-900	MSR, 2500W, 9°-25°
Robert Juliat – Profile 933SNX	MSR, 2500W, 29°-50°
Robert Juliat – Profile 934SNX	MSR, 2500W, 16°-38°
Robert Juliat Iris for 710/713/714SX & 930/934SNX	

LIGHT // Fresnel Spots

Beschreibung	Eigenschaften
Desisti	
Desisti - Piccoletto DMX M/O Daylight 30W 5600K	LED, CW
Desisti - SuperLED F4.7 P/O Daylight 60W 5600K	LED, CW
Desisti - SuperLED F6 P/O Daylight 150W 5600K	LED, CW
Desisti - SuperLED F10 P/O Daylight 190W 5600K	LED, CW
Desisti - SuperLED F14 P/O Daylight 400W 5600K	LED, CW
Desisti - Piccoletto DMX M/O, VW 30W 2700K-6600K	LED, CW-WW
Desisti - SuperLED F4.7 P/O VW 60W 2800K-6600K	LED, CW-WW
Desisti - SuperLED F6 P/O VW 120W 2800K-6600K	LED, CW-WW
Desisti - SuperLED F7 P/O VW 160W 2700K-6500K	LED, CW-WW
Desisti - SuperLED F10HP P/O VW 330W, 2800- 6600K	LED, CW-WW
Desisti - Magis P/O Fresnel 650W, incl. Dutch TV-hook	halo
Desisti - Leonardo P/O Fresnel 1000W, incl. Dutch TV-hook	halo
Desisti - Leonardo P/O Fresnel 2000W, incl. Dutch TV-hook	halo
Desisti - Leonardo P/O Fresnel 5000W, incl. Dutch TV-Hook	halo
Arri	
Arri - LS-C P/O VW 115W 2800K-10000K black	LED, RGBW
Arri - L7-C LE2 P/O VW 220W 2800K-10000K black	LED, RGBW
Arri - L10-C LE2 P/O VW 510W 2800K-10000K black	LED, RGBW
Arri - Junior 150 PLUS Fresnel 150W M/O grey	halo
Arri - Junior 650 PLUS Fresnel 650W M/O black	halo
Arri - True Blue ST1 P/O Fresnel 1000W	halo
Arri - True Blue ST2 P/O Fresnel 2000W	halo
Arri - True Blue STS P/O Fresnel 5000W	halo
Elation	
Elation - KL Fresnel 6 FC, LED RGBMA 220W 6500K, 10°-32°	LED, RGBMA
Elation - KL Fresnel 8 FC, LED RGBMA 515W 6500K, 10°-50°	LED, RGBMA
Strand	
Strand - Bambino P/O + superclamp Fresnel 650W	halo
Quartzcolor - Studio P/O Fresnel 1000W	halo
Quartzcolor - Studio P/O Fresnel 2000W	halo
Accessories	
Manfrotto – 427B-6.5, Operating Pole 1.9 / 6.5 m	

LIGHT // SoftLight - Conventional

Beschreibung	Eigenschaften
Softlight	
CLF - Softled 100, VW 3200-5600K	LED, CW-WW
CLF - Softled 200, VW 3200-5600K	LED, CW-WW
CLF - Snapgrid for Softled 100, VW	
CLF - Snapgrid for Softled 200, VW	
TheLight - Velvet Mini 1 DMX (includes Vlock mount)	LED, CW-WW
TheLight - Velvet Light 1 Studio M/O	LED, CW-WW
TheLight - Velvet Light 2 Studio M/O	LED, CW-WW
Arri - Skypanel S30-C LED fullcolor Soft Diffusion Panel M/O	LED, RGBW
Arri - Skypanel S60-C LED fullcolor Soft Diffusion Panel P/O	LED, RGBW
Arri - Skypanel S60-C LED fullcolor Soft Diffusion Panel M/O	LED, RGBW
Arri - Skypanel S120-C LED fullcolor Soft Diffusion Panel MO	LED, RGBW
Arri - Skypanel S360-C LED fullcolor Soft Diffusion Panel MO	LED, RGBW
Arri - Heavy Diffusion for Skypanel S60-C	
Arri - DOP Choice SnapGrid 40° for SnapBag \$60	
Arri - Chimera POP Bank for Skypanel S60-C	
Arri - SBA60 DOP Choice snapbag for Skypanel S60-C	
Arri - Barndoor for Skypanel S60-C	
Arri - Barndoor for Skypanel S-120	
Daylights	
Arri - D-5 575W HMI	HMI
Arri - D-12 1200W HMI	HMI
Arri - D-25 2500W HMI [5KW Body)	HMI
Studio Beam, MSR-575 black	MSR
Studio Beam, CDM/HCI-150 black 4200K	CDM
Studio Beam, CDM/HCI-150 silver 4200K	CDM
Par Light	
ETC - S4 Par 575W black	halo
ETC - S4 Par 750W black	halo
Thomas - Par 64, 1000W fourbar pin 1,2 MFL (CP62) black	halo
Thomas - Par 64, 1000W sixbar pin 1,2 MFL (CP62) black	halo
Aircraft fourbar Par64 long black CEE blue/CEE yellow SET	halo
Aircraft fourbar Par64 short black CEE blue/CEE yellow SET	halo

LIGHT // Outdoor

Beschreibung	Eigenschaften
Outdoor Lights	
Floodlight - 30W LED 3000k IP65, black incl. market clamp	LED
Exposupply - LFR-150 Reno, LED Flood IP66, 90%, 4000k, black	LED
Fenon - FL-816, LED Flood IP65 150w, 60°, 5000k, Alu	LED
Floodlight - 150W symmetric black incl. market clamp	halo
Floodlight - 500W symmetric black	halo
Gewiss - Horus 2 Floodlight, 150W White 942 HQI A-symmetric	HQI
Gewiss - Titano Floodlight, 400W White 4000K HQI A-symmetric	HQI
Gewiss - Titano Floodlight, 400W White 4000K HQI symmetric	HQI
Rent-All - Floodlight 1000W HQI symmetric	HQI
Lighting cable	
URC - Garland LED String 15 x 4,3W - 10 Meter	LED
URC - Garland LED String 38 x 4,3W - 25 Meter	LED
Lighting cable 10,0m (20x LED 2W Dim) Outdoor [CEE 16A/1]	LED
Lighting cable 15,0m (28x LED 2W Dim) Outdoor (CEE 16A/1)	LED
Lighting cable 25,0m (48x LED 2W Dim) Outdoor [CEE 16A/1]	LED

LIGHT // Controllers

Beschreibung	Eigenschaften
MA Lighting	
MA lighting - Lightcommander 12/2, console	
MA lighting - Lightcommander I 24/6, console	
MA lighting - GrandMA-2 on PC command wing	
MA lighting - GrandMA-2 on PC fader wing	
MA lighting - GrandMA-2 Ultra-light, console	
MA lighting - GrandMA-2 Light, console	
MA lighting - GrandMA-2 Full-size, console	
MA lighting - GrandMA-2 faderwing 15 fader	
MA lighting - GrandMA-3 on PC command wing	
MA lighting - GrandMA-3 Compact XT, console	
MA lighting - GrandMA-3 Light, console	
MA lighting - GrandMA-3 Full-size, console	
MA lighting - GrandMA-3 Extension	
MA lighting - Network Processing Unit (NPU)	
MA lighting - GrandMA-2 4 port node onC	
MA lighting - GrandMA-2 8 port node	
MA lighting - GrandMA-3 4 port node onPC	
MA lighting - GrandMA-3 8 port node	
MA lighting - GrandMA-3 processing unit M	
MA lighting - GrandMA-3 processing unit L	
MA lighting - GrandMA-3 processing unit XL	
High End Systems	
High End - Road Hog 4 console	
High End - Full Boar 4 console	
High End - Wholehog 4 console	
High End - USB Playback console Wing	
High End - Playback Wing and Touchscreen for Hog 3-4	
High End - Playback Wing for Hog-4	
High End - Expansion console Wing	
High End - DMX Processor 8000 Unit	
ETC	
ETC - SmartFade 24/96 ch DMX Controller	
ETC - EOS GIO desk DMX 9216 ch.	

LIGHT // Controllers & Dimmers

Beschreibung	Eigenschaften
Avolites	
Avolites - Quartz console	
Avolites - Pearl Tiger Touch II console	
Avolites - Arena console	
Chamsys	
Chamsys - Magicq MQ70 Compact console	
Chamsys - Magicq MQ250m Stadium console 64 universes	
Chamsys - Magicq MQ500m Stadium console 256 universes	
Chamsys - Magicq MQ500m Stadium wing	
Chamsys - Magicq Playback Wing	
Chamsys - Magica PC Extra Wing Compact	
Dimmers	
ADB - Memorack 30 - 6x5kW/6x32A Single Phase/32A, 63A CEE IN	
ADB - Memorack 30 - 12*3kW/2x Soc419/12x16A/32A, 63A CEE IN	
AD8 - Memorack 30 - 24x3kW/4x Soc419/24x16A/32A, 125A CEE IN	
ADB - Memorack 30 - 24x3kW / 9xH8 / 125A CEE, PIN 1-9	
ADB - Memorack 30 - 36x3kW/14xSoc419/12x15A/32A, PLIN/OUT	
ADB - Memorack 30 - 36x3kW+ 12xC16 + 32A/15xH8/PL400thru 1-9	
Avolites - 24 x 2,5 KW + 24x 16A Art-2000 dimmerrack+patch	
Avolites - 24 x 2,5 KW Art-2000 dimmerrack+patch, 125A CEE	
Avolites - 36 x 2,5 KW + 12x 16A Art-2000 dimmerrack+patch	
Avolites - 48 x 2,5 KW Art-2000 dimmerrack+patch, PL PIN 1,2	
Avolites - 48 x 2,5 KW Art-2000 dimmerrack+patch, PL PIN 1,9	
LSC - 6 x 5,0 KW Pro dimmer, 63A CEE (2x32A cee out)	
LSC - 12 x 2,3 KW Pro dimmer, 32A CEE, PIN 1,9	
LSC - 12 x 3,6 KW GenVI dimmer, 32A CEE, PIN 1,2	
LSC - 12 x 2,3 KW Pro dimmerrack + patch, 63A CEE, PIN 1-2	
LSC - 24 x 2,3 KW Pro dimmerrack + patch, 125A CEE, PIN 1-2	
LSC - 24 x 2,5 KW e24 dimmerrack H16/6ch patch, 125A CEE	
Dimmer LSC GenVI 12x13A C13 DMX 2x 16-pol Harting	
Dimmer LSC GenVI 12x16A C16 DMX 2x 16-pol Harting	
Showtec - Single MKII/DP1, DMX Dimmer 1CH / 2,3kW	
Accessories	
Chair-lighting / audio console (seat height 59-83cm)	

LIGHT // Ethernet

Beschreibung	Eigenschaften
Data distrubution and processing	
Martin – Splitterbox 4 channels 3 polig	
LSC – MDRT 5-Way Truss-Mount DMX Splitter, 5 pins	
ELC – DT229, DMX Splitter (2x 5p in / 8x 5p out)	
ELC – DT2210, DMX Splitter (2x 5p in / 10x 5p out)	
ELC – DMXLAN switch8 Gigabit Fiberport LC	
ELC – Node-8, Ethernet 8 DMX router in/out, Gigabit	
ELC – NodeGBX 8, Ethernet in/out, 8 port DMX router, Gigabit	
ELC – DMXLAN switchGBX, 18port, Fiberport LC, Gigabit	
ELC – kit Stagerack, 1x ELC node-8, 4x ELC DT2210, Gigabit	
Luminex – Lumi 1.6 DMX Splitter (1x5p in/Tru >3x5p + 2x3p out)	
Luminex – Lumisplitter 2.10 DMX Splitter (2x 5p in / 10x 5p out)	
Luminex – DMX 2.10 HUB DMX Splitter (2x 5p in / 10x 5p out)	
Luminex – Luminode 12, DMX Router in / out, Gigabit	
Luminex – Ethernet switch 8 ports Gigabit	
Luminex – Ethernet DMX8 MKII, DMX Router in / out, 100 mbit	
Luminex – Gigacore 10+POE Switch, 8x RJ45 / 2x Opticalon Duo	
Luminex – Gigacore 16RFO Switch, 12x RJ45 / 4x Opticalon duo	
Luminex – Gigacore 16XT POE+, 12x RJ45 / 4x SFP, Gigabit	
Luminex – Gigacore 20T POE+, 16x RJ45, 1Gb / 4x SFP, 10Gb	
Luminex – Outdoor Acces Point 2.4+5Ghz KIT	
FCM – Fiberfox chassis set Gigabit, Combine only with Gigabit	
Fiberfox 4way 100m (multimode "50/125um,OM") outdoor, 600MHz	
Fiberfox 4way 150m (multimode "50/125um,OM") outdoor, 600MHz	
Fiberfox 4way 250m (multimode "50/125um,OM") outdoor, 600MHz	
Neutrik – Opticalon Duo Multimode Fiber 2-way 50m	
Neutrik – Opticalon Duo Multimode Fiber 2-way 75m	
Neutrik – Opticalon Duo Multimode Fiber 2-way 100m	
Neutrik – Opticalon Duo Multimode Fiber 2-way 250m	
Neutrik – Opticalon Quad Multimode Fiber 4-way 100m Reel	
Neutrik – Opticalon Quad Multimode Fiber 4-way 150m Reel	

LIGHT // Ethernet

Beschreibung	Eigenschaften
Switch	
Netgear - M4300, 12x10G RJ45+12x10G Fiber Switch Managed	
Netgear - M4300, 8x10G RJ45 + 8x10G Fiber Switch Managed	
HP - Procurve Switch 2615 (POE) 8x 100Mbit (+2x dual p.port)	
HP - Procurve Switch 2915 (POE) Bx 1Gbit (+2x dual p.port)	
Arube - 2930F switch (POE) 12x 1Gbit + 2x SFP+	
Wireless Data Systems	
Wireless Solutions • BlackBox F-1 G4 MK2 Transceiver 512 ch	
Wireless Solutions - BlackBox R-512 G4 MK2 Receiver 512 Ch.	
Wireless Solutions - BlsckBox F-2 G4 MK2 Transceiver 1024 ch	
Ubiquiti - Nanobeam SAC-19 5Ghz Wireless AC Bridge KIT	
Ruckus - Zoneflex 7731 outdoor PtP bridge (802.11n)	
RADwin - Winlink 1000, ODU with Integrated Antenna	
RADwin - 2000 D+ ODU PIP 5.x GHz Radio	

VIDEO



VIDEO // Projectors Panasonic

Beschreibung	Eigenschaften
Panasonic 3 Chip	
Panasonic - PT-VMZ50 5.000 lm WUXGA LCD Laser Projector	
Panasonic - PT-DZ21KEJ 20.000 lm WUXGA DLP Projector	
Panasonic - PT-RZ21KEJ Geo 20.000 lm WUXGA Laser Projector	
Panasonic - PT-RQ32KEJ Geo 27.000 lm 4K+ Laser Projector	
Panasonic - PT-RZ31KE! Geo 30.000 lm WUXGA Laser Projector	
Panasonic - ET-D3LEWSO (0.7:1) fixed lens	
Panasonic - ET-D3LEW60 (0.9-1.1:1) 200m lens	
Panasonic - ET-D3LEW10 (1.3-1.7:1) 200m lens	
Panasonic - ET-D3LES20 (1.7-2.4:1) 200m lens	
Panasonic - ET-D3LET30 (2.4-4.7:1) 200m lens	
Panasonic - ET-D3LET40 (4.6-7.4:1) 200m lens	
Panasonic - ET-D3LET80 (7.3-13.8:1) 200m lens	
Panasonic - ET-D75LE95 (0.36:1) fixed focus lens	
Panasonic - ET-D75LESO (0.8:1) fixed focus lens	
Panasonic - ET-D75LE6 (0.9-1.1:1) 200m lens	
Panasonic - ET-D75LE10 (1.4-1.9:1) 200m lens	
Panasonic - ET-D75LE1 (1.5-2.0:1) 200m lens	
Panasonic - ET-D7SLE2O (1.7-2.4:1) 200m lens	
Panasonic - ET-D75LE2 (2.0-3.0:1) 200m lens	
Panasonic - ET-D75LE30 (2.4-4.7:1) 200m lens	
Panasonic - ET-D75LE3 (3.0-5.0:1) 200m lens	
Panasonic - ET-D75LE40 (4.6-7.4:1) 200m lens	
Panaconic 1 Chip	
Panasonic - PT-RZ670 6.500 lm WUXGA DLP Laser Projector	
Panasonic - PT-RZ770 7.200 lm WUXGA DLP Laser Projector	
Panasonic - PT-DZ870ELK 8.500 lm WUXGA DLP Projector	
Panasonic - PT-RZ970 10.000 lm WUXGA DLP Laser Projector	
Panasonic - ET-DLE030 (0.38:1) ultra short throw Lens	
Panasonic - ET-DLE05S (0.8:1) short throw lens	
Panasonic - ET-DLE085 (0.8-1.0:1) short throw zoom Lens	
Panasonic - ET-DLE100 (1.3-1.8:1) 200m lens	
Panasonic - ET-DLE150 (1.3-1.8:1) 200m lens	
Panasonic - ET-DLE170 (1.8-2.4) standard z00m lens	
Panasonic - ET-DLE200 (2.4-4.0:1) 200m lens	
Panasonic - ET-DLE250 (2.3-3.6:1) 200m lens	

VIDEO // Projectors - Epson - Barco

Beschreibung	Eigenschaften
Epson	
Epson - EB-L1405U 8.000 lm WUXGA Laser Projector	
Epson - EB-L1505UH 12.000 lm WUXGA Laser Projector	
Epson - EB-L1755U 15.000 lm WUXGA Laser Projector	
Epson - EB-PU2220B 20.000 lm WUXGA Laser Projector	
Epson - ELPLX01 UST Lens for L1405 (0.35:1)	
Epson - ELPLX02 UST Lens for L1505/L1755 (0.35:1)	
Epson - ELPLU04 Lens for L1505/L1755 (0.64 - 0.77:1)	for use L1405 (0.87-1.05:1)
Epson - ELPLW05 Lens for L1505/L1755 (0.77 - 1.07:1)	for use L1405 (1.04-1.46:1)
Epson - ELPLW06 Lens for L1505/L1755 (1.19 - 1.62:1)	
Epson - ELPLM10 Lens for L1505/L1755 (2.42 - 3.71:1)	for use L1405 (3.32-5.06:1)
Epson - ELPLM11 Lens for L1505/L1755 (4.54 - 5.41:1)	
Epson - ELPLM15 Lens for L1505/L1755 (1.57 - 2.56:1)	for use L1405 (3.32-5.06:1)
Epson - ELPLM11 Lens for L1505/L1755 (4.54 - 5.41:1)	
Epson - ELPLM15 Lens for L1505/L1755 (1.57 - 2.56:1)	for use L1405 (2.16-3.48:1)
Epson - ELPLL05 Lens for L1505/L1755 (5.27 - 7.41:1)	for use L1405 (7.21-10.11:1)
Barco	
Barco - HDX W20 Flex 20.000 lm DLP projector	
Barco - HDF W26 Flex 26.000 lm DLP projector	
Barco - TLD + (0.67:1 WUXGA)(0.73:1 SXGA+) lens	
Barco - TLD HB (0.8:1) lens	
Barco - TLD+ (1.14:1 WUXGA)(1.23:1 SXGA+) lens	
Barco - TLD + Ultra (1.16-1.49:1 WUGA) zoom lens	
Barco - TLD+ (1.39 - 1.87:1 WUXGA) zoom lens	
Barco - TLD HB (1.6 - 2.0:1) zoom lens	
Barco - TLD (2.0 - 2.8:1) zoom lens	
Barco - TLD (2.8 - 5.0:1) zoom lens	
Barco - TLD+ HB (2.56 - 4.17) zoom lens	
Barco - TLD+ (4.17 - 6.95:1 WUXGA) zoom lens	
Barco - TLD + HB(6.93 - 10.3) zoom lens	

Beschreibung	Eigenschaften
Projectionscreens	
Stumpfl - 4:3 Monoblox32 300x230 (280x210)cm front&rear KIT	
Stumpfl - 4:3 Monoblox32 406x310 (386x290)cm front&rear KIT	
Stumpfl - 16:9 Monoblox32 238x143 (218x123)cm front&rear KIT	
Stumpfl - 16:9 Monoblox32 286x170 (266x150)cm front&rear KIT	
Stumpfl - 16:9 Monoblox32 345x203 (325x183)cm front&rear KIT	
Stumpfl - 16:9 Monoblox32 392x230 (372x210)cm front&rear KIT	
Stumpfl - 16:9 Monoblox64 447x260 (427x240)cm front&rear KIT	
Stumpfl - 16:9 Monoblox64 508x294 (488x274)cm front&rear KIT	
Stumpfi - 16:9 Monoblox64 630x363 (610x343)cm front&rear KIT	
Stumpfl - 16:9 Vario64 820x470 (B00x450)cm front&rear KIT	
Projection screen - Specisl 10,40 x 5,40m KIT exci. frame	

VIDEO // LED Panels

Beschreibung	Eigenschaften
Outdoor	
Martin - VDO Face 5 HC 5.2mm LED-panel 50x56,25cm IP65	
Martin - VDO Sceptron 10, 320mm	
Martin - VDO Sceptron 10, 1000mm	
Infiled - AR3.9, P3.9mm Outdoor LED-Panel 50x50 A10sPro	
Infiled - AR3.9, P3.9mm Outdoor LED-Panel 100x50+climbbsr	
Infiled - AR7.8, P7.81 Outdoor LED-panel 50x50cm	
Infiled - AR7.8, P7.81 Outdoor LED-panel + Climbbar 100x50cm	
Infiled - ART7.8, P7.81 Touring Outdoor LED-panel 50x50cm	
Infiled - ART7.8, P7.81 Touring LED-panel 100x50cm + Windbar	
Infiled - Cable Set Power & Data for 80 tiles AR/ART	
URC - P10mm SMD solid LED-panel V-5 64x64 cm True 1	
URC - P16mm SMD solid LED-panel V-2 64x64 cm True 1	
URC - P20mm SMD solid LED-panel V-2 64x64 cm Amphenol	
Indoor	
Eastar - Dazzle III P2.60 mm LED-panel 50x50cm	
Eastar - Dazzle Plus P2.84 mm LED-panel 50x50cm	
Eastar - Dazzle III P2.97 mm LED-panel 50x50cm	
Eastar - Shine+ P3.91mm indoor curvable LED-panel 50x 50cm	
Eastar - Shine+ P3.91mm indoor curvable LED-panel 50x100cm	
Infiled - IRSSIRX curvable 2.5 mm LED-panel 50x50cm IP30	
Infiled - ILRSSIRX 3.9 mm LED-panel 50x50cm IP30 curved	
Infiled - ILRSSIRX 3.9 mm LED-panel S0x50cm IP30 straight	
URC - P5.7mm, ultra contrast LED-panel 64x64 cm True 1	
Martin LC-1140 RJ45 40mm semi-transp. indoor LED, 1800nits	
Martin LC-2140 RJ45 40mm semi-transp. indoor LED, 1800nits	
CLF - Video LED-ball PH10 indoor, diameter 1 meter	

Beschreibung	Eigenschaften
Processoren	
Novaster masurro Lock senes anted controller	
Novastar - MX40 4K LED Systemrack Single	
Novastar - MX40 4K LED Systemrack Double	
Novastar - KU20 COEX Series Led Contoller	
Novastar - CVT10M Pro Fibregisss converter to ethernet IP65	
Novastar - MCTRL R5 LED Controller	
Novastar - MCTRL 4K LED Controller	
Novastar - M3 MCTRL-660 PRO LED Controller	
Novastar - M3 MCTRL-660 LED Controller	
Novastar - VX6S Video processor	
URC - NOVASTAR LED Screen Systemrack Inci, Imagepro II	
URC - Linsn TS802D LED Systemrack Large Incl. Imagepro II-JR	
URC - Linsn TS801D LED Systemrack Small inci, Imagepro II-JR	
Martin - P3-300, System Controller	
Martin - P3-100, System Controller	
Martin - P3-050, System Controller	
Martin - P3-Powerport 1000, Max 40 meter LEDstrip IP65	
Martin - P3-Powerport 1500, Max 40 meter LEDstrip IP20	
LED Accessories	
Eastar - Dazzle III stack frame Basic KIT 1,50 x 4,00m (WxH)	
Eastar - Dazzle III stack frame Extension KIT 2 x 4m (WxH)	

VIDEO // Touchmonitors - Monitors

Beschreibung	Eigenschaften
Monitors Touch	
Dell – S2241T 21.5“ touch monitor	
Iiyama - Prolite T2235MSC 21,5" touch monitor	
Panasonic - TH-50BF1, Touch Screen LCD Display	
Panasonic - TH-65BF1, Touch Screen LCD Display	
Panasonic - TH-808F1, Touch Screen LCD Display	
Iiyama - Prolite TF4237MSC-B4AG 42" touch 1080p LED	
Iiyama - Prolite TF4338MSC-B1AG 43" touch 1080p LED	
Iiyama - Prolite TF6538UHSC-B1AG 65" touch 4k LED	
Monitors 4K/UHD	
BenQ - SL4302K 43" UHD60 IPS Pantone LED monitor	
Panasonic - TH-43EQ1W, 43" LED LCD 4K monitor	
Panasonic - TH-SSEQ1W, 55" LED LCD 4K monitor	
Panasonic - TH-65EQ1W, 65" LED LCD 4K monitor	
Panasonic - TH-65SQ1W, 65" LED LCD 4K monitor	
Panasonic - TH-75EQ1W, 75" LED LCD 4K monitor	
Panasonic - TH-75SQ1W, 75" LED LCD 4K monitor	
Panasonic - TH-86EQ1W, 86" LED LCD 4K monitor	
Panasonic - TH-86SQ1W, 86" LED LCD 4K monitor	
Samsung - QM43R 43" 4K LED monitor	
Samsung - QM75R 75" 4K LED monitor	
Samsung - LH85QM-N 85" 4K LED monitor	
Philips - BD9870 98" UHD monitor	
Blackmagic – Ultra HD Broadcastmonitor, SmartView 4K 2, 19"	

Beschreibung	Eigenschaften
Monitors less than 32"	
Benq - SW271C-B 27" 4K IPS monitor Calibrated HDR-10, USB-C	
Benq - PD2705U-T 27" 4K IPS monitor Calibrated HDR-10, USB-C	
BenQ - BL2711U 27" UHD monitor	
BenQ - RL2455 24" HD Monitor dvi/hdmi/vga 50/60Hz	
Lilliput -BM150-4KS 15" LCD 4K video monitor (HDMI-SDI-DVI)	
Iiyama - G-Master GB2888UHSU 28" UHD monitor	
RGBlink - RMS8424S 2 x 8" rackmount video monitor	
RGBlink - RMS5533S 3 x 5.6* rackmount video monitor	
Monitors Full HD	
Panasonic - TH42LF80W LED monitor	
Samsung - DM55E 55" LED monitor	
Samsung - DM75D 75" Full HD LED monitor	
Samsung - DM75E 75" Full HD LED monitor	
Monitors Plasma	
Panasonic - TH65PF20ER, Plasma Full HD 65" 1920x1080	
Panasonic - TH85PF12, Plasma Full HD 85"	

Beschreibung	Eigenschaften
Media Servers	
HP - Probook 470 G5 I7 8550U Notebook + Vmix Live production	
Inter-Tech - 4U-4129-N X299X+ Vmix Live Production 4K [1pc]	
Watchout - WATCHPAX60 4 channel Mediaserver [1 Piece]	
Avolites - AI RX8 Mediaserver	
HP - Probook 4740S 17,3" HD + incl. Arkaos Express	
HP - Probook 470 G5 I7 8550U Notebook + Arkaos Pro KIT	
Arkaos - Media Master Pro V5 incl. Desktop PC (4xDVI/1x SDI)	
Recorders Players	
Blackmagic Design - 8M252 Hyperdeck Studio Pro 2 4K recorder	
Blackmagic Design - BM354 Hyperdeck Studio Mini UHD recorder	
Blackmagic Design - HyperDeck Studio 4K Pro recorder	
Brightsign - XT1143 Expanded I/O Media Player	
Brightsign - XT1144 Expanded I/O Media Player	

VIDEO // Scalers

Beschreibung	Eigenschaften
Seamless Switchers Scalers	
Blackmagic Design - ATEM Constellation 8K switcher	
Blackmagic Design - ATEM 2 M/E Advanced Panel 20	
Barco - EC-50 Compact event controller	
Barco - EC-210 event controller	
Barco - E2 Gen 1 NGS-4U, 4K 60Hz Screen management processor	
Barco - E2 Gen 2 NGS-4U, 4K 60Hz Screen management processor	
Barco - S3 Gen 1 NGS-3U, 4K 60Hz Screen management processor	
Barco - Ex, Event Master expansion event unit	
Barco - PDS-902-3G, Seamless Video Switcher VGA/DVI/SDI	
Barco - IMAGE PRO II	
Barco - IMAGE PRO 4K	
Analog Way - VIO 4K, Multi 1/0 4K@60Hz 4:4:4	
Roland - V-1HD HDMI multi-format Seamless Video Switcher	
Roland - V-1SDI 3G-SDI multi-format Seamless Video Switcher	
Roland - XS-1HD Multi-format Seamless Video Switcher	
Roland - VR-50HD, Audio/Video Multi format Switcher/Mixer	
Roland - VC-100UHD, 4K SDI/HDMI Seamless Scaler/ converter	
Roland - V-600UHD, 4K HDR Multi-format Video Switcher	
Roland - V-800HD Multi-format Seamless Video Switcher	
Roland - V-800HD MKII Multi-format Seamless Video Switcher	
Roland - XS-84H 8:4 HDMI Matrix Seamless Video Switcher	
RGBlink - VSP 628Pro Seamless Scaler/Switcher	
RGBlink - M-2 Pro Multi-format, 2K, Seamless Switcher	
C.Y.P. - 4-way HDMI Switch with PIP	

VIDEO // Media Controller

Beschreibung	Eigenschaften
Converters Splitters	
BMD - Ultimatte12 Keying processor, 12G SDI UHD60, 10bit	
BMD - Ultimatte Smart remote 4, remote for Ultimatte12	
BlackMagic Design- Micro Converter - SDI+Loop to HDMI 1080p	
BlackMagic Design - 3G SDI 16x16 Matrix Rack	
Blackmagic Design - Multiview 4 6G-SDI +Mini Smart Panel KIT	
Roland - VC-1-SC Up/Down/cross scaler	
Roland - VC-1-DL HDMI/SDI x-converter/AV-delay	
Magewell - USB capture HDMI+ loop + 3,5mm audio in 4K dongle	
Magewell - 12G SDI 4K Plus + loop to Full NDI 4K dongle	
Muxlab - 500752 HDMI over IP (POE) Kit:	
Muxlab - 500810 network controller	
Muxlab - Audio/Video Extender kit to CAT 5/6E [1 Piece]	
HDCP - HDMI to DVI-D converter	
Datapath - FX-4/DP Multi Display control 4K@60Hz	
Datapath - X-4 Multi Display control, 4 screens, DVI	
Matrox - TripleHead2Go Digital Edition	
Lightware - MX2 8x8 HDMI20-L, 8x8 HDMI Matrix	
Lightware - MX2 16x16 HDMI20 Audio-R 16x16 HDMI Matrix	
Lightware - HDMI20 OPTC TX/RX220 optical KIT	
TVONE - 1T-DA-674 HDMI Splitter lin > 4out	
TVONE - 1T-DA-726 3G-SDI Splitter 1in > 6out	
TVONE - 3G-SDI > HDMI Converter	

Beschreibung	Eigenschaften
More Converters Splitters	
Decimator - 12G-Cross, 4K HDMI/SDI Bi-directional converter	
Decimator - DMON-12S, 12 Channel 3G/HD/SD-SDI Multiviewer	
Decimator - MDCrossV2 HDMI SDI X-Converter, SDI DA1:2(4)	
Blackmagic Design - Teranex Mini Audio to SDI 12G converter	
Kramer - 673 4ch 3G HD-SDI over single fiber KIT:	
Kramer - TP-580TXR HDMI over HDBaseT Transmitter	
Kramer - VM-4H2 1:4 HDMI 2.0 Distribution Amplifier	
Kramer - VM-3H2 1:3 HDMI 2.0 Distribution Amplifier	
Kramer - VM-4HDxl 1:43G/HD/SD-SDI Distributor	
Kramer - VM-10H2 1:10 HDMI 2.0 Distribution Amplifier	
Kramer - VM-10HDxl 1:10 3G/HD/SD-SDI Distributor	
Kramer - VM-2HDCPxl - DVI splitbox 1in/2out	
Kramer - VM-4HDCPxl - DVI splitbox 1in/4out	
Gefen - EXT-DVI-142DL, DVI splitbox 1in/2out	
Novastar MCTRL 660 PRO RJ45 (Video Controller)	
Blackmagic Design ATEM Mini Pro Produktion Mixer (Video Mischer)	

VIDEO // Cameras & Controllers

Beschreibung	Eigenschaften
Panasonic Camera's Controllers	
Panasonic - AG-DVX200 4K Camcorder	
Panasonic - AW-UE150KEJ 4K Intergrated Camera HD-SDI black	
Panasonic - AW-UE70 UHD Intergrated Camera HD-SDI black	
Panasonic - AW-HE130KEJ Intergrated Camera HD-SDI black	
Panasonic - AW-HE120KEJ Intergrated Camera HD-SDI black	
Panasonic - AW-RP50EJ Remote Camera Controller	
Panasonic - AW-RP120EJ Remote Camera Controller	
Panasonic -AW-RP150G Remote Camera Controller	
RGBLink PTZ Camera's	
RGBLink - PTZ Intergrated Camera 12x Zoom, NDI, SDI/HDMI	
RGBLink - PTZ Intergrated Camera 20x Zoom, NDI, SDI/HDMI	
Various	
Marshall - CV346 HD Compact Camera	
Canon - EOS C300 Camera	
GoPro Hero 12 Black SET (1x Akku + 1x Kamera)	
Blackmagic Design Studio Camera 4K Pro	
Kamera Adapter Cam Link 4K Elgato	
Observation Systems	
Bosch - VG5-7230- autodome IP camera	
Axis - M3046-V 4MP IP camera + micro HDMI & SD Card	
Bosch - VIP-XDA, Video Decoder	
X-Gen - IIa X-B100/Mkl 0.00001 Lux. Mech.IR Filter	
AXIS - P7701, Video Decoder	
AXIS - Q7401, Video Encoder	
SuperMicro- SYS7048AT Security Center Server / Client KIT:	
SuperMicro - SYS7048AT Security Center Client KIT:	
Security Center Client incl. license	
AXIS - T8310 Video Surveillance Control Board KIT	
Camera Stand	
Manfrotto - MVH502A,546BK tripod for camera	
Manfrotto - 181B, foldable dolly for MVH502A Tripod (1 Pc)	

SOUND



SOUND // Mixers

Beschreibung	Eigenschaften
Yamaha	
Yamaha – TF-1 Digital mixing Desk	
Yamaha - QL-1 Digital mixing Desk	
Yamaha - QL-5 Digital mixing Desk	
Yamaha - CL-1 Digital mixing Desk	
Yamaha - CL-3 Digital mixing Desk	
Yamaha - CL-5 Digital mixing Desk	
Yamaha - DM3s Digital mixing Desk, No Dante, 96kHz	
Yamaha - DM3 Digital mixing Desk, Dante, 96kHz	
Yamaha - DM7 Digital mixing Desk, Dante, 96kHz	
Yamaha - DM7 Compact Digital mixing Desk, Dante, 96kHz	
Yamaha - I/O Dante Rack 16-8 - Rio1608D KIT	
Yamaha - I/O Dante Rack 32-16 - Rio3224D KIT	
Yamaha - 1/0 Dante Rack D2 16-8 - Rio1608-D2 KIT	
Yamaha - I/O Dante Rack D2 32-16 - Rio3224-D2 KIT	
Yamaha - Rivage PM-10 Console	
Yamaha - DSP-R10 DSP Engine for PM-10	
Yamaha - RPiø622 1/0 Rack for PM-10	
DiGiCo	
DiGiCo - S21, Live Digital Console	
DiGiCo - SD12 96ch. Update incl. Optocore module	
DiGiCo - SD11, Live Digital Console	
DiGiCo - SD8, Live Digital Console incl. opticalcon	
DiGiCo - SD10, Live Digital Console incl. opticalcon	
DiGiCo - SD7 Quantum, Live Digital Console, Fiberfox	
DiGiCo - SD7-T Quantum, Live Digital Console	
DiGiCo- Quantum, Q225 Live Digital Console, HMA+Waves update	
DiGiCo - Quantum, Q338 Live Digital Console, Waves update	
DiGiCo - SD rack MINI, 16in/16out (no infra] OpticalCON	
DiGiCo - MQ-Rack, 48 in/ 20 out/ 4xAES/EBU out	
DiGiCo - SD rack, 56in/24out/4AES [LK37 infra] Optocore	
DiGiCo - SD rack, 56in/32out/4AES [LK150 infra] OpticalCON	
DiGiCo - SD rack 32 Bit, 56in/32out/8AES [LK150] OpticalCON	

Beschreibung	Eigenschaften
Allen & Heath	
Allen & Heath - SQ5 Digital Console KIT	
Allen & Heath - DLIVE S7000 Console KIT	
Allen & Heath - DLIVE DX168 (16in + 8out Analog)	
Allen & Heath - DLIVE DM64 Digital /O 64in/32out Rack KIT	
Allen & Heath - DLIVE C1500 SET	
Allen & Heath - DLIVE S7000 SET	
Outboard	
Waves - MaxxBCL, Bass and Level enhancement and compressor	
Waves - Soundgrid Server C + Axis One computer 15, [1 Pc]	
Lexicon - PCM 91, Digital Reverberator	
Lexicon - 480L, Digital Effects System	
Lexicon - 960L, Digital Effects System	
Avalon - Vt 737sp, Mono PreAmp - compressor - equaliser	
Avalon - Vt 747sp, Twinsignal path opto-compressor-equaliser	
Tube Tech - LCA 2B, TUBE VCA compressor	
Tube Tech - MMC 1A Mic preamp & multi compressor	
Manley - Voxbox Combo	
Summit Audio - TLA-100A, Tube leveling amplifier	
BSS - DPR-9011I, Mono 4-Bands Multi band Compressor [1pc]	
Bricasti - M7 Stereo Reverb processor	
Empirical Labs - Distressor EL-8	

SOUND // Communication

Beschreibung	Eigenschaften
Riedel	
Riedel - Bolero Wireless intercom KIT [4 pieces]	
Riedel - Bolero Wireless intercom KIT [10 pieces]	
Riedel - Bolero, Wireless POE Stand Alone antenna KIT [1 Pc]	
Riedel - Bolero, 1/0 audio interface KIT [1 Piece]	
GreenGo	
GreenGo - Wired intercom BPX KIT [4 pieces]	
GreenGo - Wired intercom BPX KIT [6 pieces]	
GreenGo - Wireless intercom WBPX KIT [4 pieces]	
GreenGo - Wireless intercom WBPX KIT [6 pieces]	
GreenGo - WAA active antenna for WBPX + SW5 switch	
GreenGo - MCXD 32 channel wired desk station	
GreenGo - InterfaceX V4 2x4wire 2wire audio interface KIT	
GreenGo - Beacon Signal Flasher Call Light	
GreenGo - HS-200D Headset (double-ear)	
Radios	
Kenwood - NX-320E3 Digital Radio UHF (Nexedge K1) [1 Piece]	
Kenwood - TK3701D Digital 2-way Radio (K1) [1 Piece]	
Motorola - DM3400 Base Station UHF Digital [1 Piece]	
Motorbo - SLR5500 repeater UHF1 (1 Piece)	
Motorbo - DP2400E Digital Radio UHF (M12) [1 Piece]	
Motorbo - DP2600E Digital Radio UHF (M12) [1 Piece]	
Motorbo - DP3400E Digital Radio UHF (M7) [1 Piece]	
Motorola - CP40 Digital Radio UHF 16ch. (M1) [1 Piece]	
Kenwood - TK3401E Digital 2-way radio 16ch [6 pieces]	

Beschreibung	Eigenschaften
Pioneer // Allen & Heath	
Pioneer - CDJ-2000 Nexus II, CD Player	
Pioneer - CDJ-3000, DJ Multiplayer [USB/SD/HDD]	
Pioneer - DJM-900NXS2	
Pioneer - DJM-2000 Nexus	
Pioneer - DJM-A9 4-Channel DJ Mixer	
Pioneer - DJM-V10 Six channel DJ Mixer	
Pioneer - RMX-1000 Remix Station	
Allen & Heath - Xone 92	
Allen & Heath - Xone 96	
Rent-All - DJ booth "Chesterfield small"	
Rent-All - DJ booth "Chesterfield"	

SOUND // Shure Wireless

Beschreibung	Eigenschaften
Shure Wireless Microphones	
Shure - ULXD 4D, Dual Receiver, G51	
Shure - ULD 4Q, Quad Receiver, G51	
Shure - ULXD 4D, Dual Receiver, H51	
Shure - ULXD 4Q, Quad Receiver, H51	
Shure - ULXD 4D, Dual Receiver, K51	
Shure - ULD 4Q, Quad Receiver, K51	
Shure - ULD D1, bodypack transmitter, G51	
Shure - ULXD D2, handheld transmitter, G51 (no head)	
Shure - ULD D1, bodypack transmitter, H51	
Shure - ULD D2, handheld transmitter, H51 (no head)	
Shure - ULD D8 Gooseneck Base Transmitter, H51	
Shure - ULXD D1, bodypack transmitter, K51	
Shure - ULD D2, handheld transmitter, K51 (no head)	
Shure - UR4D+, Dual Diversity Receiver, H4E	
Shure - UR1, bodypack transmitter, H4E	
Shure - UR1M, bodypack transmitter, H4E	
Shure - UR2, handheld transmitter, H4E (no head)	
Shure - AD4D-E, Dual Wireless Digital Receiver, G56	
Shure - ADQ-E, Quad Wireless Digital Receiver, G56	
Shure - AD1, Bodypack Transmitter, G56	
Shure - ADX1, Bodypack Transmitter, G56	
Shure - ADX1M, bodypack transmitter, G56 (Lemo)	
Shure - AD2, Handheld Transmitter, G56 (no head)	
Shure - ADX2, Handheld Transmitter, G56 (no head)	

SOUND // Shure Wireless – In Ear

Beschreibung	Eigenschaften
Shure Wireless Microphones	
Shure - SM 58, Head	
Shure - Beta 58A, Head	
Shure - Beta 87A, Head	
Shure - KSM8, Head black	
Shure - KSM9, Head black	
Shure - KSM9 HS, Head black	
Shure - KSM11, Head black	
DPA - D:facto Supercardioid mic head [1pc]	
Shure - UA845-UWB-E, antenna distribution (VHF & UHF)	
Shure - UA845-SWB-E, active antenna splitter	
Shure - UA870-WB or UA874-WB, UHF active directional antenna	
Shure - UA860-SWB passive UHF omni-directional antenna	
Shure - Axient AXT630E, Antenna Distribution	
Shure - Axient AXT600-E, Spectrum Manager	
Shure - AD 600, Digital Spectrum Manager Wide Band	
Shure - Axient AD610, Showlink Access Point diversity	
Shure - SBRC-E, Battery Rack Charger (for 8x SB900)	
Shure In Ear	
Shure - P10TE, IEM Dual Wireless Transmitter, G10E	
Shure - P10TE, IEM Dual Wireless Transmitter, J8E	
Shure - P10TE, IEM Dual Wireless Transmitter, K10E	
Shure - P10TE, IEM Dual Wireless Transmitter, L8E	
Shure - P10R+, IEM Bodypack Receiver, G10E	
Shure - P10R+, IEM Bodypack Receiver, J8E	
Shure - P10R, IEM bodypack receiver, K10E	
Shure - P10R+, IEM Bodypack Receiver, L8E	
Shure - PA821B-E, Ant. combiner for IEM (8V)	
Shure - HA-8089, Helical Antenna for In Ear system	
Shure - P4HW, Hardwired Bodypack Personal Monitor [PSM400]	
Shure - P9HW, Hardwired Bodypack Personal Monitor	
Fischer Amps - Hard-Wired In Ear Belt Pack	

SOUND // Sennheiser Wireless – In Ear

Beschreibung	Eigenschaften
Sennheiser Wireless	
Sennheiser - EM3732-II Receiver, L	
Sennheiser - EM3732-1 Receiver, N	
Sennheiser - EM3732-II Receiver, N	
Sennheiser - SK5212-II bodypack transmitter, L	
Sennheiser - SKM5200-II BK handheld transmitter, L (no head)	
Sennheiser - SK5212-II bodypack transmitter, N	
Sennheiser - SKM5200-II BK handheld transmitter, N (no head)	
Sennheiser - SKM5200-II SB handheld transmitter, N (no head)	
Sennheiser - MD5005, dynamic head	
Sennheiser - ME5005, super cardioid head	
Neumann - KK104S, cardioid head (for Sennheiser) black	
Sennheiser - ASA 3000-EU, Active antenna splitter	
Sennheiser - AD 3700, Directional antenna	
Sennheiser - A 3700, Active Omni Directional antenna	
Sennheiser In Ear	
Sennheiser - SR 2050 IEM transmitter AW-X	
Sennheiser - SR 2050 IEM transmitter GBW-X	
Sennheiser - SR 2050 IEM transmitter BW-X	
Sennheiser - EK 2000 IEM bodypack receiver AW-X	
Sennheiser - EK 2000 IEM bodypack receiver GBW-X	
Sennheiser - EK 2000 IEM bodypack receiver BW-X	
Sennheiser - AC 3000-EU, active antenna combiner	
Sennheiser - A 5000-CP, antenna	
Sennheiser - A 2003-UHF, passive directional antenna	

SOUND // Microphones Wired

Beschreibung	Eigenschaften
Shure	
Shure - Beta 52A Supercardioid Dynamic Microphone	
Shure - Beta 56A Supercardioid Dynamic Microphone	
Shure - SM 57 LC Cardioid Dyamic Microphone	
Shure - beta 57A Supercardioid Dynamic Microphone	
Shure - SM 58 Cardioid Dynamic Microphone	
Shure - SM 58 Cardioid Dynamic Microphone + Switch	
Shure - Beta 58A Supercardioid Dynamic Microphone	
Shure - 515 SBGX Cardioid Dynamic Push-to-Talk Microphone	
Shure - 55SH-II, Cardioid Dynamic classic vocal Microphone	
Shure - Super 55 Deluxe, Hypercardioid dynamic Microphone	
Shure - SM 87 Supercardioid condenser vocal Microphone	
Shure - beta 87(A) Supercardioid condenser Microphone	
Shure - beta 98 AMP/C miniature cardioid Microphone	
Shure - beta 98 D/S, Mini Supercardioid Condenser Drum Mic	
Shure - beta 98 H/C Cardioid Condenser Instrument Microphone	
Shure - MX 400DP/MX 410LP C Discusion Microphone [4 pcs] KIT	
Shure - MX 418/C Gooseneck Microphone [2 Pieces] KIT	
Shure - MX 418S Gooseneck Microphone [4 Pieces KIT	
Shure - SM 81 Cardioid Condenser Microphone	
Shure - KSM 137 Cardioid Condenser Microphone	
Shure - KSM 27 Large-diaphragm Cardioid Microphone	
Shure - KSM32/CG Large Diaphragm Cardioid Microphone	
Shure - TH53T-O-MTQG, Twinplex Omni Headband, beigé TA4F	

SOUND // Microphones Wired

Beschreibung	Eigenschaften
Sennheiser	
Sennheiser - AmbeoVR cardioid ambisonic condenser [1 Piece]	
Sennheiser - e604 Cardioid Dynamic Microphone [Drums]	
Sennheiser - e904, Cardioid Dynamic drum Microphone	
Sennheiser - e906, Supercardioid Dynamic Microphone	
Sennheiser - MD421-II Cardioid Dynamic Microphone	
Sennheiser - MD 441 Super Cardioid Dynamic Microphone	
Sennheiser - MD521 Cardioid dynamic Microphone	
Sennheiser - e608, Supercardioid Dynamic Clip-on Microphone	
Sennheiser - e908 B-ew Cardioid condenser Clip-on Microphone	
Sennheiser - MKH-55 Supercardioid condenser Microphone	
Sennheiser - MKH-40 cardioid condenser Microphone	
Sennheiser - MKH-416 shotgun Condenser Microphone	
Sennheiser - MZH 3042 + ME34, Gooseneck Mic [2 Pieces]	
Sennheiser - MZH 3040 + ME35, Gooseneck Mic [2 Pieces]	
Sennheiser - MKE 40 Microphone (TA4F)	
Sennheiser - HSP4 Cardioid Headset, beige (TA4F)	
DPA	
DPA - 2011c, Twin diaphragm Cardioid condenser Microphone	
DPA - 4011TL, or 4011A Cardioid Microphone P48	
DPA - 4011A Cardioid Microphone on gooseneck 30cm	
DPA - 4011A Cardioid Microphone on gooseneck 45cm	
DPA - 4023, Compact Cardioid Microphone	
DPA - 4055 Cardioid Condenser Microphone	
DPA - 4060-F/03, Omnidirectional Hi-Sens, beige (Microdot)	
DPA - 4061-F/03, Omnidirectional, Lo-Sens, beige (Lemo 3p)	
DPA - 4061-F/03, Omnidirectional, Lo-Sens, beige (TA4F)	
DPA - 4066-F/M, Omnidirectional Headband, beige (MicroDot)	
DPA - 4088-F/M, Cardioid Headband, beige (MicroDot)	
DPA - D:VOTE 4099, CORE Microphone [Xtreme loud SPL, yellow]	
DPA - D-VOTE 4099, CORE Microphone [loud SPL, Red]	
DPA -4466 CORE F/M, Omnidirectional Headband, beige MicroDot	
DPA - 4488 CORE F/M, Cardioid Headband, beige MicroDot	

SOUND // Microphones Wired

Beschreibung	Eigenschaften
Neumann AKG Audix Divers	
Neumann - TLM 103 large-diaphragm cardioid cond. Microphone	
Neumann - KMS105 Supercardioid condenser Microphone	
Neumann - KM184mt Cardioid Condenser Microphone, black	
Neumann - U87 Multi-Pattern Condenser Microphone Black	
AKG - D112 Cardioid dynamic drum Microphone	
AKG - C414 XLS Multi-Pattern Condenser Microphone	
AKG - C451/CK1 Cardioid condenser Microphone	
AKG - C747 shotgun condenser Microphone	
Audix - D2 Hypercardioid dynamic drum Microphone	
Audix - D4 Hypercardioid dynamic drum Microphone	
Audix - D6 Cardioid dynamic drum Microphone	
Audix - I5 Cardioid dynamic drum Microphone	
Audio-Technica - AE3000 Cardioid condenser Microphone	
Audio-Technica - at4050 Multi-Pattern Condenser Microphone	
Austrian Audio - CC8 cardioid Condensor Microphone, Black	
Austrian Audio - OC818 Multi-Pattern Microphone Black	
Beyerdynamic - M88 TG Hypercardioid dynamic Microphone	
Yamahiko - CPS-PF1R Condenser Pickup element	
Royer Labs - R-121Live Ribbon dynamic Microphone	
Schoeps - CMC6 microphone amplifier + MK4 Cardioid head	
Countryman - H6 (O-W6) headset microphone, beige	
Countryman - E6, Microphone, beige	

SOUND // Microphones - Accessories

Beschreibung	Eigenschaften
Accessories	
Catch box - pro blue	
Catch box - pro green	
Catch box - pro orange	
Catch box - pro dark grey	
BSS - AR133, Active DI box	
Radial - JDI Stereo, Passive Direct Box	
Radial - J48, Active Direct Box	
Radial - J48 Stereo, Active Direct Box	
Radial - JDI Duplex, Dual passive direct box	
Radial - Twin iso 2ch line level isolator	
Radial - USB-Pro, Stereo USB DI	
Sonifex - Redbox RB-DDA22 AES distributor (1in/6 out)	
RME audio - MADi face XT USB 3.0 Audio interface (1 Piece)	
RME audio - MADi Router, 12 port-madi optical, coax, RJ-45	
RME audio - MADi Bridge, MADi distributor	
DiGiCo - UB MADi USB Interface	
DiGiCo - Purple box, Madi to optical converter, Multi mode	
Optocore - M8-OPT, optical madi switch 256 i/o optocorefiber	
DirectOut Tec - Split Converter Optical SC and BNC Madi	
DirectOut Tec - Madi sample rate converter BNC/SC	
Yamaha - RSIO64-D Audio interface for MY Cards[1 Piece]	
Yamaha - RMio64-D Dante/MADI 1/0	
Mackie - BIG knob Studio command System mixer	
K&M Stands	
K&M - case microphone stands 12x K&M large/boom	
K&M - case microphone stands 12x K&M low/boom	
K&M - 260, Mic stand 250mm /high adj. /NO boom [bl] [2 pcs]	
K&M - 260, Mic stand 250mm /high adj. /NO boom [bl] [6 pcs]	
K&M - speaker stand 214/6 [black]	
K&M - speaker stand 214/6 B2B [black]	
K&M - 26735 round base speaker stand [2 pieces]	
K&M - 26735 round base speaker stand [6 pieces]	

RIGGING



RIGGING // Hoists

Beschreibung	Eigenschaften
Chainhoist Manual	
Chainhoist manual operated, 1000kg, 10,0m	
Chainhoist manual operated, 1000kg, 12,0m	
Chain Master - 160kg, D8+, 4m/pm 24,0m	
Chain Master - 250kg, D8, 4m/pm 24,0m	
Chain Master - 250kg, D8+, 4m/pm 24,0m	
Chain Master - 320kg, D8, 4m/pm 24,0m	
Chain Master - 320kg, D8+ SB, 4m/pm 24,0m	
Chain Master - 320kg, D8+ SK, 4m/pm 24,0m blackchain	
Chain Master - 500kg, D8+, 4m/pm 24,0m	
Chain Master - 500kg, D8+, 4m/pm 36,0m	
Chain Master - 750kg, D8+, 4m/pm 24,0m	
Chain Master - 1000kg, D8, 4m/pm 24,0m	
Chain Master - 1000kg, D8+, 4m/pm 24,0m double part	
Chain Master - 1000kg, D8+, 4m/pm 24,0m PK blackchain	
Chain Master - 1000kg, D8+, 4m/pm 36,0m	
Chain Master - 2000kg, D8, 4m/pm 24,0m double part	
Chain Master - 2000kg, D8, 4m/pm 36,0m double part	
Chainmaster IP66	
ChainMaster - 320kg, D8+ Ultra, IP66 4m/pm 24,0m	
ChainMaster - 500kg, D8+ Ultra, IP66 4m/pm 24,0m	
ChainMaster - 500kg, D8+ Ultra, IP66 4m/pm 36,0m	
Chain Master - 1000kg, D8+, 4m/pm 24,0m PK blackchain IP66	
Chain Master - 1000kg, D8+, 4m/pm 36,0m PK blackchain IP66	
Lodestar	
CM Prostar - B 250kg, D8, DC 4m/pm 20,0m	
CM Lodestar - F 500kg, D8, DC 4m/pm 20,0m	
CM Lodestar - F 500kg, D8, DC 4m/pm 25,0m	
CM Lodestar - L 1000kg, D8, DC 4m/pm 30,0m	
CM Lodestar - L 1000kg, D8 DC 4m/pm, 35,5m	
CM Lodestar - L 1000kg, DC 4m/pm 25,0m double brake	
CM Lodestar - L 1000kg, DC 4m/pm 30,0m double brake	
CM Lodestar - RR 1000kg, D8+, DC 4m/pm, 30,0m double chain	
CM Lodestar - LL 1000kg, D8, DC 8m/pm (DS) 22,0m	
CM Lodestar - LL 1000kg, D8, DC 8m/pm (DS) 35,5m	
CM Lodestar - RR 2000kg, D8, DC 4m/pm 30,0m double chain	

RIGGING // Motion – Controllers - Hoistcables

Beschreibung	Eigenschaften
Motion controlled hoist Movecat	
Movecat - VMK-S 125kg, C1, 40m/pm 24,0m, (silver chain)	
Movecat - VMK-s 500kg, C1, 24m/pm 24,0m (silver chain)	
Movecat - VMK-S 125kg, C1, 40m/pm 24,0m, (black chain)	
Movecat - VMK-S 500kg, C1, 24m/pm, 24,0m (black chain)	
Movecat - I-Motion basic-C showcontroller	
Movecat - I-Motion expert-T III showcontroller	
Movecat - I-Motion NDB-6 Network Distribution box	
Movecat - I-Motion NDB-6 Network Distribution box	
Movecat - I-Motion NMB-14 Network Master box	
Movecat - I-Motion NBB Network NDC Booster box	
Movecat - V-Motion variable Motion Powerpack for hoist CEE	
Hoist Controllers	
Hoist Controller for 1x DC hoist, 16A CEE red	
LLT - Controller for 8x DC Hoist, 32A, H16+Socapex [1 Pc]	
LLT - Controller for 32x DC Hoist, 125A, H16+Socapex [1 Pc]	
BroadWeigh - 4.75kN Wireless Loadcell KIT [4 pieces]	
BroadWeigh - 4.75kN Wireless Loadcell Extension [4 pieces]	
BroadWeigh - 4.75kN Wireless Loadcell Extension [8 pieces]	
Hoistcable	
Hoist harting KIT [RED] 16 pins (1,5mm2) 15,0 m [10 piece]	
Hoist harting KIT [RED] 16 pins (1,5mm?) 20,0 m [10 piece]	
Hoist harting KIT [RED] 16 pins (1,5mm) 25,0 m [10 piece]	
Hoist harting KIT [RED] 16 pins (1,5mm') 30,0 m [10 piece]	
Hoist break-out= harting 16p > 4x 16A CEE red 4p [10pc]	
Hoist cable KIT 4p red Chain Master/Lodes 2,5 m [50 piece]	
Hoist cable KIT 4p red Chain Master/Lodes 5,0 m [50 piece]	
Hoist cable KIT 4p red Chain Master/Lodes 10,0 m [40 piece]	
Hoist cable KIT 4p red Chain Master/Lodes 15,0 m [30 piece]	
Hoist cable KIT 4p red Chain Master/Lodes 20,0 m [20 piece]	
Hoist cable KIT 4p red Chain Master/Lodes 25,0 m [20 piece]	

RIGGING // Eurotruss FD31 – FD32

Beschreibung	Eigenschaften
FD31 Single Tube	
Eurotruss - FD31 single tube silver 0,25m	
Eurotruss - FD31 single tube silver 0,50m	
Eurotruss - FD31 single tube silver 0,75m	
Eurotruss - FD31 single tube silver 1,00m	
Eurotruss - FD31 single tube silver 1,50m	
Eurotruss - FD31 single tube silver 2,00m	
Eurotruss - FD31 single tube silver 3,00m	
Eurotruss - FD31 single tube silver corner L90 (2-way 90°)	
Eurotruss - HD/FD31 single tube silver boxcorner KIT	
Eurotruss - FD31 single tube black 0,50m	
Eurotruss - FD31 single tube black 0,75m	
Eurotruss - FD31 single tube black 1,00m	
Eurotruss - FD31 single tube black 1,50m	
Eurotruss - FD31 single tube black 2,00m	
Eurotruss - FD31 single tube black 3,00m	
Eurotruss - FD31 single tube black corner L90 (2-way 90°)	
Eurotruss - HD/FD31 single tube black boxcorner KIT	
FD32 flat truss 30cm	
Eurotruss - FD32 flat silver / black 0,50m	
Eurotruss - FD32 flat silver / black 0,75m	
Eurotruss - FD32 flat silver / black 1,00m	
Eurotruss - FD32 flat silver / black 1,50m	
Eurotruss - FD32 flat silver / black 2,00m	
Eurotruss - FD32 flat silver / black 2,50m	
Eurotruss - FD32 flat silver / black 3,00m	
Eurotruss - FD32 flat silver / black 4,00m	
Eurotruss - FD32 flat silver corner L90/V (2-way 90°)	
Eurotruss - FD32 flat black corner L90/H (2-way 90°)	

RIGGING // Eurotruss – FD33

Beschreibung	Eigenschaften
FD33 Triangle truss 30cm	
Eurotruss - FD33 triangle silver 0,29m	
Eurotruss - FD33 triangle silver 0,50m	
Eurotruss - FD33 triangle silver 0,75m	
Eurotruss - FD33 triangle silver 1,00m	
Eurotruss - FD33 triangle silver 1,50m	
Eurotruss - FD33 triangle silver 2,00m	
Eurotruss - FD33 triangle silver 2,50m	
Eurotruss - FD33 triangle silver 3,00m	
Eurotruss - FD33 triangle silver 4,00m	
Eurotruss - FD33 triangle silver corner L90/H (2-way 90°)	
Eurotruss - FD33 triangle silver corner LU/R (3-way 90°)	
Eurotruss - FD33 triangle silver corner LU/L (3-way 90°)	
Eurotruss - FD33 triangle silver corner T/H (3-way)	
Eurotruss - FD33 triangle silver corner X/H (4-way)	
Eurotruss - FD33 triangle silver baseplate	
Eurotruss - FD33 triangle black 0,29m	
Eurotruss - FD33 triangle black 0,50m	
Eurotruss - FD33 triangle black 0,75m	
Eurotruss - FD33 triangle black 1,00m	
Eurotruss - FD33 triangle black 1,50m	
Eurotruss - FD33 triangle black 2,00m	
Eurotruss - FD33 triangle black 2,50m	
Eurotruss - FD33 triangle black 3,00m	
Eurotruss - FD33 triangle black 4,00m	
Eurotruss - FD33 triangle black corner L90/H (2-way 90°)	
Eurotruss - FD33 triangle black corner T/H (3-way)	
Eurotruss - FD33 triangle black corner X/H (4-way)	

RIGGING // Eurotruss – FD34 Silver

Beschreibung	Eigenschaften
FD34 Square truss 30cm	
Eurotruss - FD34 square silver 0,21m	
Eurotruss - FD34 square silver 0,25m	
Eurotruss - FD34 square silver 0,29m	
Eurotruss - FD34 square silver 0,50m	
Eurotruss - FD34 square silver 0,71m	
Eurotruss - FD34 square silver 0,75m	
Eurotruss - FD34 square silver 1,00m	
Eurotruss - FD34 square silver 1,50m	
Eurotruss - FD34 square silver 2,00m	
Eurotruss - FD34 square silver 2,50m	
Eurotruss - FD34 square silver 3,00m	
Eurotruss - FD34 square silver 4,00m	
Eurotruss - FD34 square silver corner L45 (2-way 45°)	
Eurotruss - FD34 square silver corner L90 (2-way 90°)	
Eurotruss - FD34 square silver corner L120 (2-way 120°)	
Eurotruss - FD34 square silver corner L135 (2-way 135°)	
Eurotruss - FD34 square silver corner LD (3-way 90°)	
Eurotruss - FD34 square silver corner T 50/50 (3-way)	
Eurotruss - FD34 square silver corner T 71/50 (3-way)	
Eurotruss - FD34 square silver corner T 75/50 (3-way)	
Eurotruss - FD34 square silver corner TD 50/50 (4-way)	
Eurotruss - FD34 square silver corner TD 71/50 (4-way)	
Eurotruss - FD34 square silver corner X 50/50 (4-way)	
Eurotruss - FD34 square silver corner X 71/50 (4-way)	
Eurotruss - FD34 square silver corner X 75/50 (4-way)	
Eurotruss - FD34 square silver corner X 71/71 (4-way)	
Eurotruss - FD34 square silver corner XD 50/50 (5-way)	
Eurotruss - FD34 square silver corner XD 75/50 (5-way)	
Eurotruss - FD34 square silver bookcorner KIT	
Eurotruss - FD34 square silver baseplate 0,315 x 0,315m	
Eurotruss - FD34 Topplate with FD31 Single Tube circle 1,00m	

RIGGING // Eurotruss – FD34 Black

Beschreibung	Eigenschaften
FD34 Square truss 30cm	
Eurotruss - FD34 square black 0,21m	
Eurotruss - FD34 square black 0,25m	
Eurotruss - FD34 square black 0,29m	
Eurotruss - FD34 square black 0,50m	
Eurotruss - FD34 square black 0,71m	
Eurotruss - FD34 square black 0,75m	
Eurotruss - FD34 square black 1,00m	
Eurotruss - FD34 square black 1,50m	
Eurotruss - FD34 square black 1,75m	
Eurotruss - FD34 square black 2,00m	
Eurotruss - FD34 square black 2,50m	
Eurotruss - FD34 square black 3,00m	
Eurotruss - FD34 square black 4,00m	
Eurotruss - FD34 square black corner L45 (2-way 45º)	
Eurotruss - FD34 square black corner L60 (2-way 60º)	
Eurotruss - FD34 square black corner L90 (2-way 90º)	
Eurotruss - FD34 square black corner L120 (2-way 120º)	
Eurotruss - FD34 square black corner L135 (2-way 135º)	
Eurotruss - FD34 square black corner LD (3-way 90º)	
Eurotruss - FD34 square black corner T 50/50 (3-way)	
Eurotruss - FD34 square black corner T 71/50 (3-way)	
Eurotruss - FD34 square black corner TD 50/50 (4-way)	
Eurotruss - FD34 square black corner TD 71/50 (4-way)	
Eurotruss - FD34 square black corner X 50/50 (4-way)	
Eurotruss - FD34 square black corner X 71/71 (4-way)	
Eurotruss - FD34 square black corner XD 50/50 (5-way)	
Eurotruss - FD34 square black bookcorner KIT	
Eurotruss - FD34 square black baseplate 0,315 x 0,315m	
Eurotruss - FD34 Topplate with FD31 Black Tube circle 1,00m	

RIGGING // Eurotruss – HD34 Silver

Beschreibung	Eigenschaften
HD34 Square truss 30cm	
Eurotruss - HD34 square silver 0,105m	
Eurotruss - HD34 square silver 0,21m	
Eurotruss - HD34 square silver 0,25m	
Eurotruss - HD34 square silver 0,29m	
Eurotruss - HD34 square silver 0,50m	
Eurotruss - HD34 square silver 0,71m	
Eurotruss - HD34 square silver 0,75m	
Eurotruss - HD34 square silver 0,81m	
Eurotruss - HD34 square silver 1,00m	
Eurotruss - HD34 square silver 1,25m	
Eurotruss - HD34 square silver 1,50m	
Eurotruss - HD34 square silver 2,00m	
Eurotruss - HD34 square silver 2,50m	
Eurotruss - HD34 square silver 3,00m	
Eurotruss - HD34 square silver 4,00m	
Eurotruss - HD34 square silver corner L90 (2-way 90°)	
Eurotruss - HD34 square silver corner L135 (2-way 135°)	
Eurotruss - HD34 square silver corner LD (3-way 90°)	
Eurotruss - HD34 square silver corner T 50/50 (3-way)	
Eurotruss - HD34 square silver corner T 71/50 (3-way)	
Eurotruss - HD34 square silver corner TD 50/50 (4-way)	
Eurotruss - HD34 square silver corner TD 71/50 (4-way)	
Eurotruss - HD34 square silver corner X 50/50 (4-way)	
Eurotruss - HD34 square silver corner X 71/50 (4-way)	
Eurotruss - HD34 square silver boxcorner KIT	

RIGGING // HD34 Black

Beschreibung	Eigenschaften
HD34 Square truss 30cm	
Eurotruss - HD34 square black 0,105m	
Eurotruss - HD34 square black 0,21m	
Eurotruss - HD34 square black 0,25m	
Eurotruss - HD34 square black 0,29m	
Eurotruss - HD34 square black 0,50m	
Eurotruss - HD34 square black 0,71m	
Eurotruss - HD34 square black 0,75m	
Eurotruss - HD34 square black 1,00m	
Eurotruss - HD34 square black 1,50m	
Eurotruss - HD34 square black 2,00m	
Eurotruss - HD34 square black 2,50m	
Eurotruss - HD34 square black 3,00m	
Eurotruss - HD34 square black 4,00m	
Eurotruss - HD34 square black corner L90 (2-way 90°)	
Eurotruss - HD34 square black corner LD (3-way 90°)	
Eurotruss - HD34 square black corner T 50/50 (3-way)	
Eurotruss - HD34 square black corner T 71/50 (3-way)	
Eurotruss - HD34 square black corner TD 50/50 (4-way)	
Eurotruss - HD34 square black corner X 50/50 (4-way)	
Eurotruss - HD34 square black boxcorner KIT	

RIGGING //HD44

Beschreibung	Eigenschaften
HD44 Square silver truss 40cm	
Eurotruss - HD44 square silver 0,21m	
Eurotruss - HD44 square silver 0,25m	
Eurotruss - HD44 square silver 0,29m	
Eurotruss - HD44 square silver 0,50m	
Eurotruss - HD44 square silver 0,75m	
Eurotruss - HD44 square silver 0,81m	
Eurotruss - HD44 square silver 1,00m	
Eurotruss - HD44 square silver 1,50m	
Eurotruss - HD44 square silver 2,00m	
Eurotruss - HD44 square silver 2,50m	
Eurotruss - HD44 square silver 3,00m	
Eurotruss - HD44 square silver corner L45 (2-way 45°)	
Eurotruss - HD/FD44 square silver corner L60 (2-way 60°)	
Eurotruss - HD/FD44 square silver corner L90 (2-way 90º)	
Eurotruss - HD44 square silver corner L120 (2-way 120°)	
Eurotruss - HD/FD44 square silver corner L135 (2-way 135º)	
Eurotruss - HD44 square silver corner LD90 (3-way 90º)	
Eurotruss - HD/FD44 square silver corner T 60/50 (3-way)	
Eurotruss - HD44 square silver corner TD (4-way)	
Eurotruss - FD44/XD square silver bookcorner KIT	
Eurotruss - HD44 square silver boxcorner KIT	

RIGGING //HD44

Beschreibung	Eigenschaften
HD44 Square black truss 40cm	
Eurotruss - HD44 square black 0,21m	
Eurotruss - HD44 square black 0,25m	
Eurotruss - HD44 square black 0,29m	
Eurotruss - HD44 square black 0,50m	
Eurotruss - HD44 square black 0,75m	
Eurotruss - HD44 square black 0,81m	
Eurotruss - HD44 square black 1,00m	
Eurotruss - HD44 square black 1,50m	
Eurotruss - HD44 square black 2,00m	
Eurotruss - HD44 square black 2,50m	
Eurotruss - HD44 square black 3,00m	
Eurotruss - HD44 square black corner L45 (2-way 45°)	
Eurotruss - HD/FD44 square black corner L60 (2-way 60°)	
Eurotruss - HD/FD44 square black corner L90 (2-way 90º)	
Eurotruss - HD44 square black corner L120 (2-way 120°)	
Eurotruss - HD/FD44 square black corner L135 (2-way 135º)	
Eurotruss - HD44 square black corner LD90 (3-way 90º)	
Eurotruss - HD/FD44 square black corner T 60/50 (3-way)	
Eurotruss - HD44 square black corner TD (4-way)	
Eurotruss - FD44/XD square black bookcorner KIT	
Eurotruss - HD44 square black boxcorner KIT	

RIGGING // Eurotruss – XD – ST

Beschreibung	Eigenschaften
XD Rectangular Truss 40 x 30cm	
Eurotruss - XD rectangle silver 0,50m	
Eurotruss - XD rectangle silver 0,75m	
Eurotruss - XD rectangle silver 1,00m	
Eurotruss - XD rectangle silver 1,50m	
Eurotruss - XD rectangle silver 2,00m	
Eurotruss - XD rectangle silver 2,50m	
Eurotruss - XD rectangle silver 3,00m	
Eurotruss - XD rectangle silver boxcorner KIT	
Eurotruss - XD rectangle black 0,50m	
Eurotruss - XD rectangle black 0,75m	
Eurotruss - XD rectangle black 1,00m	
Eurotruss - XD rectangle black 1,50m	
Eurotruss - XD rectangle black 2,00m	
Eurotruss - XD rectangle black 2,50m	
Eurotruss - XD rectangle black 3,00m	
Eurotruss - XD rectangle black boxcorner KIT	
ST Square Truss 50cm	
Eurotruss - ST square silver 0,50m	
Eurotruss - ST square silver 1,00m	
Eurotruss - ST square silver 1,50m	
Eurotruss - ST square silver 2,00m	
Eurotruss - ST square silver 2,50m	
Eurotruss - ST square silver 3,00m	
Eurotruss - ST square silver boxcorner KIT	
Eurotruss - ST square black 0,50m	
Eurotruss - ST square black 0,75m	
Eurotruss - ST square black 1,00m	
Eurotruss - ST square black 1,50m	
Eurotruss - ST square black 2,00m	
Eurotruss - ST square black 2,50m	
Eurotruss - ST square black 3,00m	
Eurotruss - ST square black boxcorner KIT	

RIGGING // Eurotruss – XT – PRT – TT – CWT

Beschreibung	Eigenschaften
XT Rectangular truss 80 x 60cm	
Eurotruss - XT rectangle silver 1,00m	
Eurotruss - XT rectangle silver 1,75m	
Eurotruss - XT rectangle silver 2,50m	
Eurotruss - XT Boxcorner 90° in 4 directions KIT	
Eurotruss - XT rectangle black 1,00m	
Eurotruss - XT rectangle black 1,75m	
Eurotruss - XT rectangle black 2,50m	
PRT Pre-Rig Truss	
Eurotruss - PRT-122 Prerig Truss L=1,22M Black	
Eurotruss - PRT-244 Prerig Truss L=2,44M Black	
TT Truss	
Eurotruss - TT rectangle black 1,00m	
Eurotruss - TT rectangle black 2,00m	
Eurotruss - TT rectangle black 2,50m	
Eurotruss - TT rectangle black 3,00m	
Eurotruss - TT Boxcorner in 8 directions KIT [black]	
Eurotruss - TTU rectangle silver 2,40m	
Eurotruss - TTU rectangle silver 3,00m	
Eurotruss - TTS rectangle silver 1,00m	
Eurotruss - TTS rectangle silver 2,00m	
Eurotruss - TTS rectangle silver 3,00m	
CWT Truss	
Eurotruss - CWT-240 Catwalk Truss (Body) L=240cm	
Eurotruss - CWT-320 Catwalk Truss (Body) L=320cm	
Eurotruss - CWT- HR-240 Hand Railing L=240cm	
Eurotruss - CWT- HR-320 Hand Railing L=320cm	
Eurotruss Ground Support	
Eurotruss - TD44 square silver 1,00m	
Eurotruss - TD44 square silver 1,50m	
Eurotruss - TD44 square silver 2,00m	
Eurotruss - TD44 square silver 3,00m	
Eurotruss - Groundsupport TD44 Base KIT	
Rent-All - Gsupport TD44 basedeck for ballast	

RIGGING // Accessories – Single Tube Circle

Beschreibung	Eigenschaften
Eurotruss Accessories	
CS1 - Spacer L= 15 mm for HD/FD [M > M]	
CS1 - Spacer L= 30 mm for HD/FD [M > M]	
CS1 - Spacer L= 50 mm for HD/FD [M > M]	
CS1 - Spacer L= 80 mm for HD/FD [M > M]	
CS1 - Spacer L= 90 mm for HD/FD [M > F]	
CS1 - Spacer L=100 mm for HD/FD [M > F]	
CS1 - Spacer L=105 mm for HD/FD [M > F]	
CS1 - Bold-On Receiver L=100mm for HD/FD KIT [120pcs]	
CS1 - Bold-On Receiver L=105mm for HD/FD KIT (120pcs)	
CS1 - Bold-On Receiver L=100mm for HD/FD KIT [120pcs] (BL)	
CS1 - Bold-On Receiver L=105mm for HD/FD KIT [120pcs] (BL)	
Eurotruss single tube circle	
Eurotruss - FD31 single tube silver circle Ø 1,50m (2 cuts)	
Eurotruss - FD31 single tube silver circle Ø 2,00m (2 cuts)	
Eurotruss - FD31 single tube silver circle Ø 2,50m (2 cuts)	
Eurotruss - FD31 single tube silver circle Ø 3,00m (2 cuts)	
Eurotruss - FD31 single tube silver circle Ø 3,00m (4 cuts)	
Eurotruss - FD31 single tube silver circle Ø 4,00m (4 cuts)	
Eurotruss - FD31 single tube silver circle Ø 6,00m (4 cuts)	
Eurotruss - FD31 single tube silver circle Ø 8,00m (8 cuts)	
Eurotruss - FD31 single tube silver circle Ø 10,00m (8 cuts)	
Eurotruss - FD31 single tube silver circle Ø 15,00m (12cuts)	
Eurotruss - FD31 single tube silver circle Ø 27,00m (16cuts)	
Eurotruss - FD31 single tube black circle Ø 3,00m (2 cuts)	
Protruss single tube circle	
Protruss - single tube silver circle Ø 3,00m (4 cuts)	
Protruss - single tube silver circle Ø 3.50m (4 cuts)	
Protruss - single tube silver circle Ø 4,00m (4 cuts)	
Protruss - single tube black circle Ø 1,00m (2 cuts)	
Protruss - single tube black circle Ø 2,00m (4 cuts)	
Protruss - single tube black circle Ø 3,00m (4 cuts)	
Protruss - single tube black circle Ø 4,00m (4 cuts)	
Protruss - single tube black circle Ø 5,00m (8 cuts)	
Protruss - single tube black circle Ø 6,00m (8 cuts)	
Protruss - single tube black circle Ø 7,00m (8 cuts)	

RIGGING // Eurotruss – Circles FD34 – HD44

Beschreibung	Eigenschaften
Eurotruss FD/HD 34 Circles	
Eurotruss - FD34 square silver circle Ø 1,50m (4 cuts)	
Eurotruss - FD34 square silver circle Ø 2,00m (4 cuts)	
Eurotruss - FD34 square silver circle Ø 3,00m (4 cuts)	
Eurotruss - HD/FD34 square silver circle Ø 4,00m (4 cuts)	
Eurotruss - FD34 square silver circle Ø 5,00m (4 cuts)	
Eurotruss - FD34 square silver circle Ø 6,00m (6 cuts)	
Eurotruss - HD/FD34 square silver circle Ø 6,00m (8 cuts)	
Eurotruss - FD34 square silver circle Ø 7,00m (8 cuts)	
Eurotruss - HD34 square silver circle Ø 7,50m (8 cuts)	
Eurotruss - FD34 square silver circle Ø 8,00m (8 cuts)	
Eurotruss - HD/FD34 square silver circle Ø 10,00m (8 cuts)	
Eurotruss - FD34 square silver circle Ø 15,00m (16 cuts)	
Eurotruss - FD34 square black circle Ø 2,00m (4 cuts)	
Eurotruss - FD34 square black circle Ø 3,00m (4 cuts)	
Eurotruss - FD34 square black circle Ø 4,00m (4 cuts)	
Eurotruss - FD34 square black circle Ø 5,00m (4 cuts)	
Eurotruss - FD34 square black circle Ø 6,00m (8 cuts)	
Eurotruss - FD34 square black circle Ø 7,50m (8 cuts)	
Eurotruss - FD34 square black circle Ø 10,00m (8 cuts)	
Eurotruss - FD34 square black circle Ø 15,00m (16 cuts)	
Eurotruss FD/HD 44 Circles	
Eurotruss - HD44 square silver circle Ø 4,00m (4 cuts)	
Eurotruss - HD/FD44 square silver circle Ø 5,00m (4 cuts)	
Eurotruss - FD44 square silver circle Ø 8,00m (8 cuts)	
Eurotruss - FD44 square silver circle Ø 10,00m (12 cuts)	
Eurotruss - FD44 square silver circle Ø 12,00m (12 cuts)	
Eurotruss - HD/FD44 square silver circle Ø 15,00m (16 cuts)	
Eurotruss - HD44 square silver circle Ø 16,00m (12 cuts)	
Eurotruss - HD44 square silver circle Ø 18,00m (16 cuts)	
Eurotruss - HD/FD44 square silver circle Ø 20,00m (24 cuts)	
Eurotruss - HD44 square silver circle Ø 25,00m (28 cuts)	
Eurotruss - FD44 square silver circle Ø 30,00m (32 cuts)	
Eurotruss - HD44 square silver circle Ø 36,00m (32 cuts)	
Eurotruss - FD44 square silver circle Ø 40,00m (36 cuts)	
Eurotruss - HD44 square black circle Ø 8,00m (8 cuts)	

RIGGING // Protruss Circles – H30V – H40V

Beschreibung	Eigenschaften
Protruss H30V Circles	
Protruss - H30V square silver circle Ø 2,00m (4 cuts)	
Protruss - H30V square silver circle Ø 3,00m (4 cuts)	
Protruss - HOV square silver circle Ø 4,00m (4 cuts)	
Protruss - H30V square silver circle Ø 5,00m (4 cuts)	
Protruss - H30V square silver circle Ø 5,00m (8 cuts)	
Protruss - H30V square silver circle Ø 6,00m (8 cuts)	
Protruss - H30V square silver circle Ø 7,00m (8 cuts)	
Protruss - HOV square silver circle Ø 8,00m (8 cuts)	
Protruss - H30V square silver circle Ø 9,00m (8 cuts)	
Protruss - HOV square silver circle Ø 10,00m (8 cuts)	
Protruss - H30V square silver circle Ø 12,00m (12 cuts)	
Protruss - H30V square black circle Ø 2,00m (4 cuts)	
Protruss - H30V square black circle Ø 2,00m (8 cuts)	
Protruss - H30V square black circle Ø 3,00m (4 cuts)	
Protruss - HBOV square black circle Ø 4,00m (4 cuts)	
Protruss - H30V square black circle Ø 6,00m (8 cuts)	
Protruss - H30V square black circle Ø 8,00m (8 cuts)	
Protruss - H30V square black circle Ø 9,00m (8 cuts)	
Protruss - H30V square black circle Ø 12,00m (12 cuts)	
Protruss - H30V square black circle Ø 12,00m (16 cuts)	
Protruss H40V Circles	
Protruss - H40V square silver circle D 4,00m (4 cuts)	
Protruss - H40V square silver circle ® 6,00m (8 cuts)	
Protruss - H40V square silver circle ® 10,00m (16 cuts)	
Protruss - H40V square silver circle D 15,00m (16 cuts)	
Protruss - H40V square silver circle ® 18,00m (16 cuts)	
Protruss - H40V square silver circle \$ 20,00m (24 cuts)	
Protruss - H40V square silver circle \$ 25,00m (32 cuts)	
Protruss - H40V square silver circle \$ 30,00m (32 cuts)	
Protruss - H40V square silver circle ® 40,00m (48 cuts)	
Protruss - H40V square black circle D 4,00m (4 cuts)	
Protruss - H40V square black circle ® 14,00m (12 cuts)	
Protruss - H40V square black circle @ 15,00m (16 cuts)	
Protruss - H40V square black circle D 16,00m (12 cuts)	
Protruss - H40V square black circle D 20,00m (24 cuts)	

RIGGING // Prolyte – H30V Silver – Circles

Beschreibung	Eigenschaften
Prolyte H30V Silver	
Prolyte - H30V square silver 0,21m	
Prolyte - H30V square silver 0,25m	
Prolyte - H30V square silver 0,29m	
Prolyte - H30V square silver 0,50m	
Prolyte - H30V square silver 0,71m	
Prolyte - H30V square silver 1,00m	
Prolyte - H30V square silver 2,00m	
Prolyte - H30V square silver 3,00m	
Prolyte - H30V square silver 4,00m	
Prolyte - H30V square silver corner C002 (2-way 60º)	
Prolyte - H30V square silver corner C003 (2-way 90°)	
Prolyte - H30V square silver corner C004 (2-way 120°)	
Prolyte - H30V square silver corner C005 (2-way 135°)	
Prolyte - H30V square silver corner C012 (3-way L90+Down)	
Prolyte - H30V square silver corner C016 (4-way X-piece)	
Prolyte - H30V square silver corner CO17 (3-way T-Joint)	
Prolyte - H30V square silver corner CO20 (4-way T+Down)	
Prolyte - H30V square silver corner C024 (5-way X+Down)	
Prolyte - H30V square silver boxcorner KIT	
Prolyte - H30V square silver bookcorner KIT	
Prolyte - H30V square silver baseplate 2kg (33cmx33cm)	
Prolyte Circle Silver	
Prolyte - H30V square silver circle Ø 2,00m (4 cuts)	
Prolyte - H30V square silver circle Ø 3,00m (4 cuts)	
Prolyte - H30V square silver circle Ø 4,00m (4 cuts)	
Prolyte - H30V square silver circle Ø 5,00m (8 cuts)	
Prolyte - H30V square silver circle Ø 6,00m (8 cuts)	
Prolyte - H30V square silver circle Ø 7,00m (8 cuts)	
Prolyte - H30V square silver circle Ø 8,00m (8 cuts)	
Prolyte - H30V square silver circle Ø 9,00m (12 cuts)	

RIGGING // Prolyte – H30V Black - Circles

Beschreibung	Eigenschaften
Prolyte H30V Black	
Prolyte - H30V square black 0,21m	
Prolyte - H30V square black 0,25m	
Prolyte - H30V square black 0,29m	
Prolyte - H30V square black 0,50m	
Prolyte - H30V square black 0,71m	
Prolyte - H30V square black 1,00m	
Prolyte - H30V square black 2,00m	
Prolyte - H30V square black 3,00m	
Prolyte - H30V square black 4,00m	
Prolyte - H30V square black corner C002 (2-way 60°)	
Prolyte - H30V square black corner C003 (2-way 90°)	
Prolyte - H30V square black corner C004 (2-way 120°)	
Prolyte - H30V square black corner C005 (2-way 135°)	
Prolyte - H30V square black corner C012 (3-way L90+Down)	
Prolyte - H30V square black corner C016 (4-way X-piece)	
Prolyte - H30V square black corner C017 (3-way T-Joint)	
Prolyte - H30V square black corner C020 (4-way T+Down)	
Prolyte - H30V square black corner C024 (5-way X+Down)	
Prolyte - H30V square black boxcorner KIT	
Prolyte - H30V square black bookcorner KIT	
Prolyte - H30V square black baseplate 2kg (33cmx33cm)	
Prolyte Circle Black	
Prolyte - H30V square black circle Ø 2,00m (4 cuts)	
Prolyte - H30V square black circle Ø 3,00m (4 cuts)	
Prolyte - H30V square black circle Ø 4,00m (4 cuts)	
Prolyte - H30V square black circle Ø 5,00m (8 cuts)	
Prolyte - H30V square black circle Ø 6,00m (8 cuts)	
Prolyte - H30V square black circle Ø 7,00m (8 cuts)	
Prolyte - H30V square black circle Ø 8,00m (8 cuts)	
Prolyte - H30V square black circle Ø 9,00m (12 cuts)	

RIGGING // Prolyte – S52

Beschreibung	Eigenschaften
Prolyte S52V	
Prolyte - S52SV square black 0,25m	
Prolyte - S52SV square black 0,50m	
Prolyte - S52SV square black 0,60m	
Prolyte - S52SV square black 0,80m	
Prolyte - S52SV square black 1,00m	
Prolyte - S52SV square black 1,20m	
Prolyte - S52SV square black 1,50m	
Prolyte - S52SV square black 1,60m	
Prolyte - S52SV square black 2,00m	
Prolyte - S52SV square black 2,40m	
Prolyte - S52SV square black 2,50m	
Prolyte - S52SV square black 3,00m	
Prolyte - S52SV square black boxcorner [Empty]	
Prolyte S52F	
Prolyte - S52F folding black 0,60m	
Prolyte - S52F folding black 0,80m	
Prolyte - S52F folding black 1,20m	
Prolyte - S52F folding black 1,50m	
Prolyte - S52F folding black 1,60m	
Prolyte - S52F folding black 2,40m	
Prolyte - S52F folding black corner C016 (4-way)	

RIGGING // Protruss – Groundsupport

Beschreibung	Eigenschaften
Protruss P36APT	
Protruss - P36APT black 0,60m (Pre rig truss)	
Protruss - P36APT black 0,82m (Pre rig truss)	
Protruss - P36APT black 1,20m (Pre rig truss)	
Protruss - P36APT black 1,50 (Pre rig truss)	
Protruss - P36APT black 2,40m (Pre rig truss)	
Protruss - P36APT black 3,00m (Pre rig truss)	
Protruss - P36APT black - boxcorner KIT	
Protruss - P36APT silver - dolly (Touring) - 1,20m	
Protruss - P36APT silver - dolly (Touring) - 2,40m	
Protruss - P36APT silver - dolly (Touring) - 3,00m	
Prolye Groundsupport	
Prolyte - S40T square black - mast section - 0,50m	
Prolyte - S40T square black - mast section - 1,00m	
Prolyte - S40T square black - mast section - 2,00m	
Polyte - S40T square black - mast section - 3,00m	
Prolyte Tower 1T black - base+top+sleeve+H3OV - 0.5m KIT	
Prolyte Tower 2T black - base+top+sleeve+S40T (S52F+S36R)	

RIGGING // Accessories – Lift – Stands

Beschreibung	Eigenschaften
Accessories	
Scaffclamp single 25mm (small)	
Scaffclamp double 25mm (small)	
Scaffclamp double 50mm (large)	
Scaffclamp double 25mm (small) [black]	
Scaffclamp single 50mm (large) [black]	
Scaffclamp double 50mm (large) [black]	
Scaffclamp (large) with eye M12 Max 340kg	
Scaffclamp with spigot	
Spigot 28mm Ø steel - included M10 bolt and washer	
ALP Personnel Lift	
ALP-Lift telescopic boom lift PHCI 940 WH 9,4 mtr[230V]	
ALP-Lift telescopic boom lift PHCI 1100 WH 11 mtr[230V]	
ALP-Lift telescopic boom lift PHC 1200 WH 12 mtr[230V]	
ALP-Lift telescopic boom lift PH1300 WH 13mtr+ Bokpoot[230V]	
ALP-Lift telescopic boom lift Selfdrive AMWP9.5 WH 9.50 mtr	
Stands	
Manfrotto - 087NWB, Wind-Up Stand 3,80m/30kg (Black)	
Manfrotto - 126BSU Heavy Duty Stand, Black / 40KG / 3,3M	
Manfrotto - 297FBASE floorstand 40kg 28mm spigot [Black]	
Manfrotto - 143N Magic Arm without Acces	
VMB - TE 074 stand winch 230KG 5,35 M (black)	
VMB - TE 076 stand winch 220KG 6,50m (black)	
VMB - Showlift SL18 Automated Tower 55KG 4,1 M (XLR5)	
Sidelight telescopic ballet tower a-sym. H200-L80 [1pc]	
Concrete baseplate 350kg (0.75m x 0.75m) H3OV only [1 Piece]	
Concrete baseplate 880kg (1.15m x 1.15m) [1 Piece]	
Pipe & Drape	
Wentex Pipe & Drape FOH kit, 9 mtr	
Wentex Pipe & Drape FOH kit, 15/18 mtr	
Wentex Pipe & Drape H-300 kit, 15/18 mtr	

RIGGING //Stage Decks & Stairs

Beschreibung	Eigenschaften
Eurotruss	
Eurotruss - Stagedeck Pro Black Hexa 2,0 x 1,0m / 500 kg/m2	
Eurotruss - Stagedeck Pro Black Hexa 2,0 x 0,75m / 500 kg/m2	
Eurotruss - Stagedeck Pro Black Hexa 2,0 x 0,50m / 500 kg/m?	
Eurotruss - Stagedeck Pro Black Hexa 1,0 x 1,0m / 500 kg/m?	
Eurotruss - Stagedeck Pro Black Hexa 1,0 x 0,50m / 500 kg/m2	
Eurotruss - Stagedeck Pro Black Hexa 0,50 x 0,5m / 500 kg/m?	
Eurotruss - Stagedeck Pro 1,0x1,0x1,4m triangle / 500 kg/m2	
Leg for Stagedeck/stagedex KIT 44x 0,20 m	
Leg for Stagedeck/stagedex KIT 80x 0,40 m	
Leg for Stagedeck/stagedex KIT 80x 0,60 m	
Leg for Stagedeck/stagedex KIT 80x 0,80 m	
Leg for Stagedeck/stagedex KIT 88x 1,00 m	
Leg for Stagedeck/stagedex KIT 88x 1,20 m	
Leg for Stagedeck/stagedex KIT 48x variable 0,60 -0,90 m	
Leg for Stagedeck/stagedex KIT 24x variable 1,00 -1,60 m	
Leg for Stagedeck/stagedex KIT 24x variable 1,20 -1,90 m	
Eurotruss - Adjustable Stairs 40-60cm [black]	
Eurotruss - Adjustable Stairs 60-100cm + Railing kit [black]	
Eurotruss - Adjustable Stairs 80-140cm + Railing kit [black]	
Eurotruss - Stagedeck hand railing 100cm [Black]	
Eurotruss - Stagedeck hand railing 200cm [Black]	
Eurotruss - Stagedeck deck to deck clamp	
Prolyte	
Prolyte Stagedex - riser 2m x 1m	
Prolyte Stagedex - riser 2m x 0.5m	
Prolyte Stagedex - riser 1m x 1m	
Prolyte Stagedex - riser 1m x 0.5m	
Prolyte Stagedex - railing black - 1m	
Prolyte Stagedex - railing black - 2m	
Prolyte Stagedex Stairset 0.8m (0.2+0.4+0.6+0.8+ 2x railing)	

RIGGING // Steel

Beschreibung	Eigenschaften
Steel	
Chainclutch 10kN 2,00m	
Chainclutch 20kN 2,00m	
Deck Chain Type HLC16 32,2kN 1,5 m (link length = 100mm)	
Cable glider 60kg +endstop + steel 0,8kN, 4mm 5,00m [black]	
Cable glider 60kg +endstop + steel 0,8kN, 4mm 7,50m [black]	
Cable glider 240kg +endstop + steel 3,3kN, 8mm 5,00m [black]	
Cable glider 240kg +endstop + steel 3,3kN, 8mm 7,50m [black]	
Cable glider + M12 eyenut without cable [black] 50SVII	
Shackle 20,0kN	
Shackle 32,5kN	
Shackle 47,5KN	
Masterlink 20kN oval "topring"	
Masterlink 31kN oval "topring"	
Sicherungsseile - Wire rope ladder 4mm 5.04m 16steps (black)	
FALLSAFE - FS804-20 Safewalk Lifeline, 20m [KIT]	
Fallsafe - FS804B Lifeline 20m	
Fallsafe - FS804B Anchor 1m	
Beam Clamp 20kN 75/220 mm [black]	
Beam Clamp 30kN 80/320 mm [yellow/blue/black]	
Beam Clamp for tent with scaf clamp WLL = 150kg	
Beam Clamp for tent with hanging M14 eye bolt WLL = 150kg	
Beam Clamp for tent WLL = 150kg (no attachments)	
Beam Clamp for tent WLL = 500kg	
Roundsling Nylon 20kN 1,0m [black]	
Roundsling Nylon 20kN 1,5m [black]	
Roundsling Nylon 20kN 2,0m [black]	
Roundsling Steel 20kN 0,5m [black]	
Roundsling Steel 20kN 1,0m [black]	
Roundsling Steel 20kN 1,5m [black]	
Roundsling Steel 20kN 2,0m [black]	
Roundsling Steel 20kN 3,0m [black]	
Burlap	

SO GEHT'S


DIESE INFOS BENÖTIGEN WIR

TERMINE UND ABWICKLUNG

- Bitte geben Sie uns die Termine an, an denen Sie das Equipment abholen und zurückbringen möchten. Hinweis: Das Equipment steht zum abgemachten Zeitpunkt zur Abholung bereit und muss vor 16:00 Uhr zurückgegeben werden.
- Falls Sie den Transport durch uns in Anspruch nehmen möchten, bitten wir um die Angabe des genauen Datums und Zeiten für Abholung und Lieferung sowie die genaue Lieferadresse.

EQUIPMENT

- Bitte geben Sie an, welches Equipment Sie benötigen. Geben Sie bitte Typ, Menge und/oder Länge an.
- Bitte geben Sie an, welche Kabel und Zubehörteile Sie benötigen.



DIESES ANGEBOT BEKOMMEN SIE

ANGEBOT

- Es enthält eine Preisberechnung ohne Berücksichtigung einer Reservierung von Ausrüstung, damit Änderungen noch möglich sind.

OPTIONEN

- Dieses Angebot enthält eine Preisberechnung und eine Optionsfrist von einem Tag. Änderungen und längere Optionsfristen können besprochen werden.
- Wenn die Optionsfrist abläuft, steht die Ausrüstung nicht länger zur Verfügung.

BESTELLUNG

- Sobald Sie unserem Angebot zustimmen, unterschreiben Sie es und senden Sie es uns per Mail zu. Nachdem wir Ihre Anfrage bestätigt haben wird die Bestellung verbindlich.
- Änderungen an einer Bestellung können nur nach Rücksprache vorgenommen werden. Bitte geben Sie Ihre Kunden- oder Referenznummer an.

STORNIERUNG

- Stornierungen werden nur per E-Mail akzeptiert. Bitte geben Sie Ihre Vertragsnummer deutlich in der Stornierung an.

Bei einer Stornierung, die 5 Tage vor dem Abholtermin erfolgt, werden 50 % der Kosten berechnet.

Bei einer Stornierung, die weniger als 5 Tage vor dem Abholtermin erfolgt, werden 100 % der Kosten berechnet.


ALLGEMEINE BEDINGUNGEN

- Unser Katalog zeigt eine Auswahl an Equipment aus unserem eigenen Lagerbestand sowie aus dem Sortiment unserer Partner.
- Die Preise können, ohne weitere Angaben, angepasst werden.
- Dieser Katalog ersetzt alle älteren Versionen unserer Kataloge.
- Bei Interesse fragen Sie per Mail an: info@eventwerker.com nach der neuesten Version unserer Kataloge.
- EVENTWERKER übernimmt keine Haftung für Rechtschreibfehler, Druckfehler (einschließlich Preise), falsche Herstellerspezifikationen oder Änderungen an Produkten in diesem Katalog oder auf der Website.

Unsere allgemeinen Geschäftsbedingungen gelten für alle Vereinbarungen zwischen Ihnen und EVENTWERKER.

MIETPREIS BERECHNUNG

Die Startgebühr beträgt 1x den Tagespreis, welcher aus einem Ausstellungstag und maximal drei Handlungs-/Transporttagen (insgesamt 4 Tage) besteht.



Vermiettage VT	Einsatztage ET	Basis	Weitere VT
0	1	1	1,00
1	1	1	0,30
7	2,7	1	0,30
21	5,5	1	0,15
29	6,7	1	0,10
184	23,5	1	0,05